



UWL REPOSITORY

repository.uwl.ac.uk

Older women living alone in the UK: Does their health and wellbeing differ from those who cohabit?

Forward, Cat, Khan, Hafiz T.A. ORCID: <https://orcid.org/0000-0002-1817-3730> and Fox, Pauline ORCID: <https://orcid.org/0000-0003-0046-4940> (2021) Older women living alone in the UK: Does their health and wellbeing differ from those who cohabit? *Journal of Population Ageing*. ISSN 1874-7884

<http://dx.doi.org/10.1007/s12062-021-09344-4>

This is the Accepted Version of the final output.

UWL repository link: <https://repository.uwl.ac.uk/id/eprint/8126/>

Alternative formats: If you require this document in an alternative format, please contact: open.research@uwl.ac.uk

Copyright:

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy: If you believe that this document breaches copyright, please contact us at open.research@uwl.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

Older women living alone in the UK: Does their health and wellbeing differ from those who cohabit?

Catherine Forward^{1*}, Hafiz T.A. Khan² and Pauline Fox³

^{1,2}Public Health Group, College of Nursing, Midwifery and Healthcare, University of West London, Boston Manor Road, Brentford TW8 9GB, England, UK

³The Graduate Centre, University of West London, London, England, UK

*Corresponding author's email: 21380121@student.uwl.ac.uk

Statement of funding

This review was completed as part of a PhD project, funded by the University of West London (Sponsor Licence No: VJVD7MND6).

Older women living alone in the UK: Does their health and wellbeing differ from those who cohabit?

Abstract

With an increased prevalence of people living alone in later life, understanding the health and wellbeing of older women living alone in the UK is an important area of research. Little is known about health and wellbeing in this population and whether they differ from those who cohabit. This paper fills this research gap. Analysis was undertaken of Wave 8 of the Understanding Society Household Panel Survey, including variables such as internet use and volunteering. Differences were found between those who live alone and cohabit.

Volunteering was a predictor of better health outcomes for those who lived alone but not for those who cohabit, despite similar rates of volunteering. Internet use predicted some better health outcome for those who cohabit but poorer for those who live alone. This suggests lifestyle factors vary in how they affect the health and wellbeing of older women, depending on cohabitation status.

Keywords:

Older women; lone dwelling; living alone; cross-sectional; volunteering; internet use.

Introduction

With an ageing global population, understanding predictors of health and wellbeing in later life is becoming increasingly important (World Health Organisation, 2016). Health and wellbeing can vary between subgroups within populations and understanding these variations is essential to provide appropriate health and social care resources (British Medical Association, 2016).

Health and wellbeing in later life has been shown to have variations between genders (Dwyer et al., 2000; Nagamine et al., 2019). Women experience life course inequalities relating to salary, pensions and lifestyle which all affect the way in which they age (Estes, 2005; Weissman and Russell, 2018). Significant cultural changes within the UK, reflecting similar changes across Western societies, mean that older women today are ageing in a different context to that of previous generations. Longer life expectancies, increased rates of divorce and increased financial independence have all contributed to the rise of living alone among older women which reflects a pattern seen across the population (Klinenberg, 2014; ONS, 2017). Living alone in later life has been considered a risk factor for poorer health outcomes globally (Lukaschek et al., 2017; Saito et al., 2017; Desai et al., 2020), although evidence regarding the relationship between living arrangements and health and wellbeing remain inconsistent (Fujino and Matsuda, 2009; Weissman and Russell, 2018; Koivunen et al., 2020).

Existing literature indicates that lifestyle factors, such as civic engagement, can have different effects depending on individual circumstances in later life (Martinson and Minkler, 2003). If living alone can be considered a risk factor for

social exclusion by the very nature of lone dwelling, then lifestyle factors such as access to transport or engagement in voluntary activities might be of more importance to those living alone in their ability to bolster social connectivity (Lucas et al., 2011; Stanley et al., 2011; Kizony et al., 2020). There is also evidence to suggest that formal social activities can be used in later life to compensate for a reduction in informal social connections (Ang, 2019). It could, therefore, be theorised that by living alone in later life, one immediate source of social connectivity is lost but that this could be compensated by engaging in formal social activities such as volunteering. This would then suggest that those who live alone may have differing requirements in terms of lifestyle factors in order to promote their health and wellbeing.

The health and wellbeing of older women who live alone is therefore of interest to researchers and policymakers alike. A better understanding of the nature and predictors of health and wellbeing in this population will enable policies to promote more appropriate and cost-effective interventions. There is currently little evidence regarding the health and wellbeing of this population particularly comparing it to that of those who cohabit (Forward et al., 2020). This paper fills a research gap by presenting analysis of the Understanding Society dataset at the Institute for Social and Economic Research.

Research Methodology

Data

Data for this study were taken from the Understanding Society dataset held by the UK Data Service. Wave 8 of the data was used which was the most recently released at the time of analysis, this was collected between January 2016 and June 2018 and made available in November 2018. Further information on the use and availability of the data is available elsewhere (Knies, 2018). The data were refined to include only those women who were over the age of 65 and were dichotomised into those living alone and those living with others as per similar studies (Kharicha, 2007; Zali et al., 2017). Weighting was applied to the dataset as per published guidance (Knies, 2018).

Justification of the choice of variables

The demographic variables used such as age and education are commonly used in such studies as control variables given their acknowledged relationship with health and wellbeing. This study sought to explore the role of more novel variables representing time use or lifestyle and were chosen based on findings from previous studies which indicated the potential role of certain social and lifestyle factors in determining health and wellbeing. Given the recent interest in the role of social connectivity, measures of lifestyle choices which may increase social contact were chosen such as internet use (Kobayashi et al, 2014; Sacker et al., 2017) and transport use (Government Office for Science, 2016; Shergold 2019). Social contact is often linked with the labour market, but there is also a role for occupation in providing a role or purpose, in addition to any potential financial remuneration (Victor and Scharf, 2005; Waddell and Burton, 2006; Schnittker, 2007; Di Gessa et al., 2016). In the last couple of years, there have

been significant changes in government policy in order to encourage longer working lives (Department of Work and Pensions, 2017). Therefore, variables which examine the potential role of employment, informal care work outside the home and voluntary work were selected to explore the potential effects of these activities on health in later life.

Internet use was dichotomised into frequent/infrequent based on previous studies which considered over once a month to be frequent (Cotten et al., 2013). Access to transport can affect ability to access local amenities which has been suggested to have an effect on health and wellbeing (Dwyer et al., 2000; Walker and Hiller, 2007). Use of car, bus and train transport was included, dichotomised into frequent/infrequent following previous studies (Hutchinson et al., 2014; Chng et al., 2016). Volunteering, caring for someone external to the household and the presence of a non-coresident partner were all dichotomous with yes/no responses.

The quality or suitability of housing and satisfaction with neighbourhood have both been indicated in other studies to affect wellbeing and this was represented using a proxy variable 'would like to move' (Victor and Scharf, 2005; Eshbaugh, 2009; Lim and Ng, 2010). While this is not sensitive to the reasons behind wanting to move, it indicates a dissatisfaction with present living situation which could impact on health and wellbeing.

Finally, immigration status to the UK was included as a dichotomous variable.

The outcome variables were chosen from the available data, based on previous studies (Tang et al., 2017; Ocean et al., 2018; Weissman and Russell, 2018). The Short-Form 12 health assessment (Ware et al., 1996), both the physical (SF-12 PCS) and the mental (SF-12 MCS) component scores were used as was the General Health Questionnaire score (GHQ - Goldberg, 1972), all of which were scale variables. Dichotomous outcome variables were: presence of a long-term health condition or disability (yes/no); self-rated health (good/poor); frequent health service use (yes/no); and life satisfaction (satisfied/not-satisfied).

Data analysis strategy

Descriptive statistics examined patterns and trends in the demographics of older women who live alone or who cohabit. Tests of association explored the variations between the two groups. These were followed by regression analyses of the demographic and lifestyle predictor variables on the seven health and wellbeing outcome variables. Binary logistic regressions were used for those categorical variables which were dichotomised (self-rated health, health service use, life satisfaction and presence of a long-term condition or disability). Linear regressions were carried out for the scale outcome variables (SF-12 MCS and PCS and the GHQ (reversed score)). Regressions were carried out on the subset of data containing women who live alone initially, then on those who cohabit.

Results and Discussion

Descriptive statistics

Table 1 displays the descriptive statistics in a crosstabulation of the household status groups by the predictor variables. As can be seen, those who lived alone tended to be older than those who cohabit which was found to be statistically significant ($\chi^2 = 396.40$, $p \leq .001$). They were also less likely to be in employment or own their own homes ($\chi^2 = 20.99$, $p \leq .001$ and $\chi^2 = 163.66$, $p \leq .001$, respectively). Car use was by far the most common mode of transport for both groups with 87.9% of the total subsample indicating frequent car use. Public transport was far lower for all groups with train use being the least frequent. Roughly 5% of all groups identified as immigrant to the UK which is consistent with other data sources showing a lower rate of non-UK born citizens in those aged over 65 than in the 26-64 group (Vargas-Silva and Rienzo, 2019). The number of 'yes' responses was relatively low at 5% which could potentially have affected statistical tests. This was also the case with ethnicity. This remains a limitation of the study, highlighting an area for further research beyond this paper.

Those living alone were less likely to want to move than the total sample or than those who cohabit (13.4%, 16.1% and 18% respectively, $\chi^2 = 17.07$, $p \leq .001$). They were also less likely to volunteer, provide care for someone or use the internet: all of which may be consistent with their higher average age. A slightly higher percentage of those living alone had non-resident partners which is consistent with the cohabiting group largely consisting of those living with partners. Only a small percentage of all groups reported not seeing their friends or family at least once a month (2.8-2.9%), but a higher percentage of those living

alone reported not going out socially than those cohabiting (16.2% and 12.2% respectively, $p \leq .001$). This latter result may reflect the higher average age of those living alone which may be associated with reduced mobility or transport access.

< INSERT TABLE 1 HERE >

Regression analyses

Table 2 presents the results from the regressions of the predictor variables on the health and wellbeing outcome variables for the subgroup of women who lived alone. The results of the regressions for those who cohabit are presented in Table 3.

For those women who live alone, regional variations were found to be significant predictors in some cases such as GP use and SF-12 MCS (OR = 2.19***, 95% CI: 1.42, 3.39 and $\beta = 1.85^*$, 95% CI: 0.18, 3.51) respectively) which was not the case for those who cohabit. While variations between the four UK regions are already recognised in the literature, those that live alone could be more likely to benefit from better services or to be more vulnerable to variations in service provision (Timmins, 2013; Bevan et al., 2014).

Homeownership and income tended to be more commonly a predictor of better health for those who cohabit than those who live alone. In some respects, this is surprising as it could be hypothesised that for those living alone, higher SES would mitigate any disadvantages of lone dwelling. This does support the idea

that women who live alone in later life may foster alternative resources in order to support their health and wellbeing (Walker and Hiller, 2007). This latter point is further supported in that volunteering was consistently found to predict better health for those who live alone and not for those who cohabit. Interestingly internet use tended to be predictive of better health outcomes for those who cohabit (e.g. SF-12 MCS $\beta = 2.63^{***}$, 95%CI: 1.36, 3.90, SF-12 PCS $\beta = 3.06^{***}$, 95%CI: 1.43, 4.69) but poorer outcomes in those who live alone (e.g. GHQ $\beta = -0.66^*$, -1.22, -0.10). These all point towards key variations in the ways in which the health and wellbeing of older women can vary by household composition. Further research is required to understand the mechanisms involved and the variations in lived experience, but these findings are supportive of approaches to later life which acknowledge the variations in the ways which variables can accumulate to affect health and wellbeing.

Volunteering and employment

The most notable finding for those women who live alone was the predictor variable volunteering. For 6 of the 7 regression outcome variables (with the exception being GP use) volunteering was a predictor of better health and wellbeing for women who live alone but not for those who cohabit. Table 3 suggests that there were not significant differences in the rates of volunteering between the household groups. This could indicate that those who live alone tend to only volunteer when they are in better health, or it could suggest that the benefits gained from volunteering are more significant for those who live alone. Existing literature points to the benefits of volunteering in later life (Okun et al.,

2003; Burr et al., 2011; Nazroo and Matthews 2012; Griep et al., 2017) and, as women who live alone may be more susceptible to social isolation, it could be suggested that by engaging in volunteering they are accessing social contact which is often associated with the labour market (Victor and Scharf, 2005). It may also be that by contributing to community life and the labour force, volunteering may boost self-worth in post-modern society which can devalue life post-retirement (Estes et al., 2003). Finally, it is important to note that there are differences in the health and wellbeing as well as the financial status of those who volunteer. Those who volunteer have been shown to be wealthier and are more likely to be in better health. There are also variations in the uptake of volunteer work which has not been fully explained by external factors such as wealth or health and which may conflate the effect of volunteering on health and wellbeing (Plagnol and Hubbert, 2010; Nazroo and Matthews, 2012). Given the policy drive in the UK which encourages older people to continue working, it is of importance that this area receives further interest from researchers in understanding how a longer working life may impact on health and wellbeing (Department for Work and Pensions, 2017). Further research may also consider differences in the benefits of paid and unpaid work, in addition to barriers and enablers to start and maintain voluntary work.

Internet use

Another notable finding was the difference in the way in which internet use predicted the health and wellbeing of older women. For those who live alone, frequent internet use predicted poorer life satisfaction and mental health as

measured by a reversed GHQ score (OR = 0.68**, 95%CI:0.51, 0.91 and β = -0.66*, 95%CI: -1.22, -0.10 respectively). However, for those who cohabited, frequent internet use was found to be predictive of better health outcomes in terms of several health outcomes including both SF-12 scores (MCS β = 2.63***, 95%CI: 1.36, 3.90 and PCS β = 3.06***, 95%CI: 1.43, 4.69). Firstly, it should be acknowledged that the relationship between health and internet use is likely to be reciprocal and complex. For example, those with poorer health may use the internet more to compensate for reduced community mobility, or they may use it less as poorer health may limit access to resources. Good health may enable better access to support with technology and use or it may, for some, negate the need for regular internet use if social or information needs are met elsewhere. The existing evidence has yet to clearly demonstrate the ways in which internet use is related to health and wellbeing in later life (Cotten et al., 2013; Sacker et al., 2017; Walkner et al., 2017). What is particularly interesting for this study is that these results indicate a distinct difference for older women who live alone and are suggestive of important variations in the ways in which one lifestyle element can affect the health and wellbeing of those living alone in a different way to those cohabiting. Further research could consider aspects such as support to access internet resources including assessments of the effects of digital poverty. The internet as a resource becomes of increasing importance as more services move online and events such as the Covid-19 pandemic indicate growing reliance on the internet to provide essential services.

Location, neighbourhood and community

One final area for discussion is that of location, neighbourhood and community. These are represented in the regression analyses by the variables: region; urban/rural and wanting to move. There is a well-established literature on ageing-in-place and the importance of place in shaping how we age (Toma et al., 2015; Gibney et al., 2019; Shim, 2019). As more recent models of healthy ageing are placed in a community context (as opposed to institutional care), the interest as to the nature and quality of this context is increasing (Gileard and Higgs, 2005).

The findings presented herein indicate variations in the ways in which older women may experience place in later life: either geographical region, home or neighbourhood. The variable 'wanting to move' is not specific as to the reason and so may reflect dissatisfaction with home, community or location but interestingly was never found to be a predictor of health for those living alone. So too with rurality, which was mainly found to be a predictor of better health for those who cohabit (e.g. SF-12 PCS $\beta = 1.69^{**}$, 95%CI: 0.61, 2.76). UK regions were only found to be predictive of health outcomes for those living alone and not for those cohabiting. Living in Wales predicted higher health service use (OR = 2.19^{***} , 95CI: 1.42, 3.39) and living in Scotland was found to be predictive of better SF-12 MCS scores ($\beta = 1.85^{*}$, 95CI: 0.18, 3.51). These results suggest that, in living alone, older women may develop different uses for, or relationships with, their local community and the associated amenities which in turn affect the way that they age in place. The importance of the local community and support resources are highlighted in these results. However, the complex interplay of factors affecting the health and wellbeing of older women requires further research to understand how women who live alone can be best supported into later life within the context of their home and communities. Policy and service

provision should strive to ensure that it allows for regional variations in terms of health needs while aiming to minimise inequities between areas.

<Insert Tables 2 and 3 here>

Conclusion

This paper is the first to examine differences in predictors of health and wellbeing between women who live alone and those who cohabit. It presents findings from cross-sectional analysis which examines general patterns and trends within the two subgroups before discussing the results of regression analyses. Similarities and differences were demonstrated between the two groups which point to varying needs in later life thus having implications for policy and practice.

Key areas of interest were highlighted such as the roles of volunteering, internet use and regional or neighbourhood factors. Areas for further research include expanding the knowledge regarding the role volunteering plays in promoting health and wellbeing, and how this might vary between population sub-groups. As technology plays an increasingly important role in later life, the relationship between technology (e.g. the internet) and health and wellbeing requires further exploration, especially in relation to digital poverty.

Limitations of the study which require acknowledging include the cross-sectional nature of the analysis which limits the inferences regarding the cause and effect of

determinants of health. Cross-sectional analysis was chosen as this forms part of a larger project examining the current state of the health and wellbeing of older women living in the UK. Other limitations include the relative low numbers of people identifying as non-white and non-UK born which may affect the sensitivity of the statistical analysis. These both point to areas for further research in addition to those already highlighted. As with all quantitative research, the ability of this data to provide an insight into more nuanced aspects of living alone is also limited: this points to the importance of further research examining the qualitative aspects of this phenomenon.

This paper is the first to examine in detail the variations in predictors of health and wellbeing between women who live alone and those who cohabit in the UK. It indicates that predictors of health do vary by household composition and suggests that policy needs to accommodate this. By adding to the evidence regarding determinants of health in later life, this paper contributes to the growing literature which indicates the importance of understanding variations in subgroups of populations. By understanding these variations, policy and practice can adapt and ensure that appropriate resources are provided in order to promote better health and wellbeing outcomes in later life and ensure community services are cost-effective.

References

BEVAN, G., KARANIKOLOS, M., EXLEY, J., NOLTE, E., CONNOLLY, S. and MAYS, N., 2014. The four health systems of the United Kingdom: How do they compare? Summary Report.

BRITISH MEDICAL ASSOCIATION, 2016. *Growing Older in the UK*. London: British Medical Association.

BURR, J.A., TAVARES, J. and MUTCHLER, J.E., 2011. Volunteering and Hypertension Risk in Later Life. *Journal of Aging and Health*, 23(1), pp. 24-51.

CHNG, S., WHITE, M., ABRAHAM, C. and SKIPPON, S., 2016. Commuting and wellbeing in London: the roles of commute mode and local public transport connectivity. *Preventive Medicine*, 88, pp. 182-188.

COTTEN, S.R., ANDERSON, W.A. and MCCULLOUGH, B.M., 2013. Impact of internet use on loneliness and contact with others among older adults: cross-sectional analysis. *Journal of Medical Internet Research*, 15(2), pp. e39.

DEPARTMENT OF WORK AND PENSIONS, 2017. Fuller Working Lives. A Partnership Approach. London: DWP.

DESAI, R., JOHN, A., STOTT, J. and CHARLESWORTH, G., 2020. Living alone and risk of dementia: A systematic review and meta-analysis. *Ageing Research Reviews*, pp. 101122.

DI GESSA, G., CORNA, L.M., PLATTS, L.G., WORTS, D., MCDONOUGH, P., SACKER, A., PRICE, D., GLASER, K., STOCKHOLMS UNIVERSITET, SAMHÄLLSVETENSKAPLIGA FAKULTETEN and STRESSFORSKNINGSINSTITUTET, 2017. Is being in paid work beyond state pension age beneficial for health? Evidence from England using a life-course approach. *Journal of Epidemiology and Community Health*, 71(5), pp. 431-438.

DWYER, M., GRAY, A. and RENWICK, M., 2000. Factors Affecting the Ability of Older People to Live Independently: A Report for the International Year of the Older Persons. Wellington: Ministry of Social Policy.

ESHBAUGH, E.M., 2009. The role of friends in predicting loneliness among older women living alone. *Journal of Gerontological Nursing*, 35(5), pp. 13-16.

ESTES, C., 2005. Women, Ageing and Inequality: A Feminist Perspective. In: V.L. BENGTON, P. COLEMAN and T. KIRKWOOD, eds, *Handbook of Age and Ageing*. 1 edn. Cambridge: Cambridge University Press, pp. 552-559.

ESTES, C.L., BIGGS, S. and PHILLIPSON, C., 2003. Social theory, social policy and ageing: a critical introduction. 1 edn. Maidenhead: Open University Press.

FORWARD, C., KHAN, H. and FOX, P., 2020. The health and well-being of older women living alone in the United Kingdom and beyond: a scoping review. *Journal of Women & Aging*, pp. 1-14.

FUJINO, Y. and MATSUDA, S., 2009. Prospective study of living arrangement by the ability to receive informal care and survival among Japanese elderly. *Preventive Medicine*, 48(1), pp. 79-85.

GIBNEY, S., ZHANG, M. and BRENNAN, C., 2019. Age-friendly environments and psychosocial wellbeing: A study of older urban residents in Ireland. *Aging & Mental Health*, pp. 1-12.

GILLEARD, C. and HIGGS, P., 2005. Contexts of ageing: Class, cohort and community. Polity.

GOLDBERG, D.P., 1972. The detection of psychiatric illness by questionnaire; a technique for the identification and assessment of non-psychotic psychiatric illness. England; United Kingdom.

GOVERNMENT OFFICE FOR SCIENCE, 2016. Future of an Aging Population. London: Government Office for Science.

GRIEP, Y., HANSON, L.M., VANTILBORGH, T., JANSSENS, L., JONES, S.K., HYDE, M., STOCKHOLMS UNIVERSITET, SAMHÄLLSVETENSKAPLIGA FAKULTETEN and STRESSFORSKNINGSINSTITUTET, 2017. Can volunteering in later life reduce the risk of dementia? A 5-year longitudinal study among volunteering and non-volunteering retired seniors. *PLOS ONE*, 12(3), pp. e0173885.

HUTCHINSON, J., WHITE, P.C. and GRAHAM, H., 2014. Differences in the social patterning of active travel between urban and rural populations: findings from a large UK household survey. *International Journal of Public Health*, 59(6), pp. 993-998.

KHARICHA, K., ILIFFE, S., HARARI, D., SWIFT, C., GILLMANN, G. and STUCK, A.E., 2007. Health risk appraisal in older people 1: are older people living alone an 'at-risk' group? *British Journal of General Practice*, 57(537), pp. 271-276.

KLINENBERG, E., 2014. Going Solo: The Extraordinary Rise and Surprising Appeal of Living Alone. 2 edn. London: Gerald Duckworth & Co.

KNIES, G., 2018. Understanding society-the UK household longitudinal study: waves 1–8, user manual. Colchester, UK: University of Essex.

KOBAYASHI, L.C., WARDLE, J. and WAGNER, C.V., 2015. Internet use, social engagement and health literacy decline during ageing in a longitudinal cohort of older English adults. *Journal of Epidemiology and Community Health* (1979-), 69(3), pp. 278-283.

KOIVUNEN, K., SILLANPÄÄ, E., VON BONSDORFF, M., SAKARI, R., PYNNÖNEN, K. and RANTANEN, T., 2020. Living alone vs. living with someone as a predictor of mortality after a bone fracture in older age. *Aging Clinical and Experimental Research*, pp. 1-9.

LIM, L.L. and NG, T.P., 2010. Living alone, lack of a confidant and psychological well-being of elderly women in Singapore: the mediating role of loneliness. *Asia-Pacific Psychiatry*, 2(1), pp. 33-40.

LUKASCHEK, K., VANAJAN, A., JOHAR, H., WEILAND, N. and LADWIG, K., 2017. "In the mood for ageing": determinants of subjective well-being in older men and women of the population-based KORA-Age study. *BMC Geriatrics*, 17(1), pp. 1-9.

NAGAMINE, Y., FUJIWARA, T., TANI, Y., MURAYAMA, H., TABUCHI, T., KONDO, K. and KAWACHI, I., 2019. Gender difference in the association between subjective socioeconomic mobility across life course and mortality at older ages: Results from the JAGES longitudinal study. *Journal of Epidemiology*. JE20190083.

NAZROO, J. and MATTHEWS, K., 2012. The impact of volunteering on well-being in later life. Cardiff: WRVS.

OCEAN, N., HOWLEY, P. and ENSOR, J., 2019. Lettuce be happy: A longitudinal UK study on the relationship between fruit and vegetable consumption and well-being. *Social Science & Medicine*, 222, pp. 335-345.

OFFICE FOR NATIONAL STATISTICS, (ONS), 2017. Families and households. Basingstoke: Palgrave Macmillan, a Division of Macmillan Publishers Ltd.

OKUN, M.A., YEUNG, E.W. and BROWN, S., 2013. Volunteering by Older Adults and Risk of Mortality: A Meta-Analysis. *Psychology and Aging*, 28(2), pp. 564-577.

PLAGNOL, A.C. and HUPPERT, F.A., 2010. Happy to Help? Exploring the Factors Associated with Variations in Rates of Volunteering Across Europe. *Social Indicators Research*, 97(2), pp. 157-176.

SACKER, A., ROSS, A., MACLEOD, C.A., NETUVELI, G. and WINDLE, G., 2017. Health and social exclusion in older age: evidence from Understanding Society, the UK household longitudinal study. *Journal of Epidemiology Community Health*, 71(7), pp. 681-690.

SAITO, T., MURATA, C., AIDA, J. and KONDO, K., 2017. Cohort study on living arrangements of older men and women and risk for basic activities of daily living disability: findings from the AGES project. *BMC Geriatrics*, 17(1), pp. 183.

SCHNITTKER, J., 2007. Working more and feeling better: women's health, employment, and family life, 1974-2004. *American Sociological Review*, 72(2), pp. 221-238.

SHERGOLD, I., 2019. Taking part in activities, an exploration of the role of discretionary travel in older people's wellbeing. *Journal of Transport & Health*, 12, pp. 195-205.

SHIM, H., AILSHIRE, J., ZELINSKI, E. and CRIMMINS, E., 2018. The Health and Retirement Study: Analysis of Associations Between Use of the Internet for Health Information and Use of Health Services at Multiple Time Points. *Journal of Medical Internet Research*, 20(5), pp. e200.

TANG, N.K., FIECAS, M., AFOLALU, E.F. and WOLKE, D., 2017. Changes in sleep duration, quality, and medication use are prospectively associated with health and well-being: analysis of the UK household longitudinal study. *Sleep*, 40(3), pp. 079.

TIMMINS, N., 2013. The four UK health systems: Learning from each other. London: King's Fund.

TOMA, A., HAMER, M. and SHANKAR, A., 2015. Associations between neighborhood perceptions and mental well-being among older adults. *Health & Place*, 34(1), pp. 46-53.

VARGAS-SILVA, C. and RIENZO, C., 2019. Briefing—Migrants in the UK: An Overview. The Migration Observatory at the University of Oxford. Available online at: <http://tiny.cc/omnvhz> (accessed December 19, 2019).

VICTOR, C. and SCHARF, T., 2005. Social Isolation and Loneliness. In: H. H and A. WALKER, eds, *Understanding Quality of Life in Old Age: Extending Quality of Life*. Berkshire: McGraw-Hill Education, pp. 100-116.

WADDELL, G. and BURTON, A.K., 2006. *Is work good for your health and well-being?* The Stationery Office.

WALKER, R.B. and HILLER, J.E., 2007. Places and health: A qualitative study to explore how older women living alone perceive the social and physical dimensions of their neighbourhoods. *Social Science & Medicine*, 65(6), pp. 1154-1165.

WALKNER, T.J., WEARE, A.M. and TULLY, M., 2018. "You get old. You get invisible": Social isolation and the challenge of communicating with aging women. *Journal of Women & Aging*, 30(5), pp. 399.

WARE JR, J.E., KOSINSKI, M. and KELLER, S.D., 1998. SF-12: how to score the SF-12 physical and mental health summary scales. Boston: Quality Metric Inc. & the Health Assessment Lab.

WEISSMAN, J.D. and RUSSELL, D., 2018. Relationships Between Living Arrangements and Health Status Among Older Adults in the United States, 2009-2014: Findings from the National Health Interview Survey. *Journal of Applied Gerontology*, 37(1), pp. 7-25.

WORLD HEALTH ORGANIZATION, 2015. World report on ageing and health. World Health Organization.

ZALI, M., FARHADI, A., SOLEIMANIFAR, M., ALLAMEH, H. and JANANI, L., 2017. Loneliness, fear of falling, and quality of life in community-dwelling older women who live alone and live with others. *Educational Gerontology*, 43(11), pp. 582-588.

Table 1. Descriptive statistics by household type.

Variable	Categories/ measurement	Those living alone		Those living with others		Total sample		χ^2 / f-test
		N/M	%/SD	N/M	%/SD	N/M	%/SD	
Age	65-74	764	41.3	1625	67.0	2389	55.8	396.4***
	75-84	669	36.9	675	27.8	1344	31.5	
	85+	419	22.6	127	5.2	546	12.8	
Income (log)	Scale	7.14	0.46	7.86	0.52	7.55	0.61	2277.18***
Education	School level	1415	76.4	1826	75.2	3241	75.7	0.78
	Degree+	437	23.6	601	24.8	1038	24.4	
Homeowner	Yes	1232	66.5	2024	83.4	3256	76.1	163.66***
	No	620	33.5	404	16.6	1024	23.9	
UK Region	England	1531	82.7	2066	85.1	3597	84.0	4.81
	Wales	109	5.9	117	4.8	226	5.3	
	Scotland	163	8.8	188	7.7	351	8.2	
	Northern	49	2.6	57	2.3	106	2.5	
	Ireland							
Employed	Yes	107	5.8	233	9.6	340	7.9	20.99***
	No	1745	94.2	2194	90.4	3939	92.1	1.42
Ethnicity	White	1918	98.2	2371	97.7	4190	97.9	
	Non-white	33	1.8	56	2.3	89	2.1	
Car use	Frequent	1482	80.2	2274	93.8	3753	87.9	183.087***
	Infrequent	366	19.8	150	6.2	515	12.1	
Bus use	Frequent	780	42.2	808	33.3	1587	37.2	35.026***

	Infrequent	1070	57.8	1616	66.7	2683	62.8	
Train use	Frequent	198	10.7	278	11.5	476	11.2	0.647
	Infrequent	1653	89.3	2144	88.5	3793	88.8	
Immigrant to UK	Yes	90	4.9	124	5.1	214	5.0	0.122
	No	1749	95.1	2293	94.9	4037	95.0	
Would like to move	Yes	248	13.4	438	18.0	686	16.1	17.074***
	No	1590	85.9	1974	81.3	3559	83.3	
Volunteered in last year	Yes	374	20.2	532	21.9	906	21.2	1.932
	No	1478	79.8	1892	78.1	3365	78.8	
Carer (outside of household)	Yes	217	11.7	292	12.1	508	11.9	0.107
	No	1634	88.3	2131	87.9	3761	88.1	
Regular internet use	Yes	885	47.8	1596	65.8	2476	58.0	140.519***
	No	967	52.2	828	34.2	1795	42.0	
Non-resident partner	Yes	93	5.4	8	3.3	101	5.1	1.984
	No	1634	94.6	237	96.7	1866	94.9	
Sees family/friends	Yes	1798	97.1	2289	97.2	4087	96.2	0.090
	No	54	2.9	65	2.8	119	2.8	
Goes out socially	Yes	1549	83.8	2066	87.8	3615	86.0	13.705***
	No	300	16.2	288	12.2	588	14.0	

*** $p \leq 0.001$, ** $p \leq 0.01$, * $p \leq 0.05$

Table 2. Showing results of regressions of key variables on health and wellbeing measures for those women over 65 who live alone.

<i>Factors</i>	<i>Long-term condition</i>	<i>GP use (high/low)</i>	<i>Self-rated health</i>	<i>Life satisfaction</i>	<i>SF-12 MCS</i>	<i>SF-12 PCS</i>	<i>GHQ (reversed)</i>
	<i>OR (CI)</i>	<i>OR (CI)</i>	<i>OR (CI)</i>	<i>OR (CI)</i>	<i>β (CI)</i>	<i>β (CI)</i>	<i>β (CI)</i>
<i>Age 75-84 (ref: 65-74)</i>	0.897 (0.709, 1.136)	1.001 (0.762, 1.315)	0.888 (0.692, 1.138)	1.279 (0.952, 1.718)	1.604** (0.500, 2.708)	-2.458*** (-3.840, -1.076)	0.500 (-0.070, 1.070)
<i>Age 85 +</i>	0.849 (0.628, 1.147)	0.889 (0.633, 1.247)	0.979 (0.719, 1.333)	1.351 (0.929, 1.964)	1.799* (0.408, 3.189)	-6.152*** (-7.893, -4.411)	0.537 (-0.182, 1.256)
<i>Income (log)</i>	0.893 (0.702, 1.137)	1.290 (0.981, 1.696)	0.810 (0.631, 1.039)	1.158 (0.863, 1.554)	-0.499 (-1.618, 0.621)	-2.113** (-3.515, -0.711)	-0.407 (-0.977, 0.164)
<i>Education (ref: school-level)</i>	1.129 (0.878, 1.452)	0.931 (0.687, 1.260)	1.233 (0.933, 1.628)	0.721* (0.527, 0.987)	0.711 (-0.483, 1.904)	1.907* (0.412, 3.401)	0.203 (-0.413, 0.818)
<i>Homeowner (ref: yes)</i>	1.228 (0.977, 1.544)	0.814 (0.633, 1.045)	1.989*** (1.585, 2.496)	1.174 (0.892, 1.545)	1.148* (0.098, 2.197)	4.688*** (3.375, 6.002)	0.940*** (0.397, 1.482)
<i>Wales (ref: England)</i>	0.908 (0.588, 1.401)	2.194*** (1.423, 3.385)	0.661 (0.420, 1.040)	0.982 (0.576, 1.675)	-1.193 (-3.251, 0.865)	-1.232 (-3.809, 1.344)	-0.645 (-1.709, 0.419)
<i>Scotland</i>	1.235 (0.868, 1.759)	1.197 (0.805, 1.781)	0.902 (0.622, 1.208)	1.531 (0.936, 2.504)	1.845* (0.183, 3.507)	-1.684 (-3.764, 0.397)	0.654 (-0.197, 1.505)
<i>Northern Ireland</i>	1.556 (0.837, 2.893)	1.160 (0.570, 2.362)	0.792 (0.402, 1.564)	1.176 (0.489, 2.827)	-0.587 (-3.653, 2.478)	-2.097 (-5.936, 1.741)	0.006 (-1.572, 1.583)
<i>Employment (ref: employed)</i>	2.181*** (1.415, 3.363)	0.563 (0.307, 1.030)	2.039** (1.187, 3.504)	1.147 (0.657, 2.002)	1.333 (-0.706, 3.371)	5.795*** (3.242, 8.347)	1.291* (0.238, 2.345)
<i>Ethnicity</i>	2.018 (0.846, 4.814)	0.776 (0.298, 2.016)	1.457 (0.547, 3.879)	1.760 (0.501, 6.185)	3.972 (-0.447, 8.390)	-0.639 (-6.172, 4.893)	1.009 (-1.271, 3.289)
<i>Rural</i>	1.100 (0.864, 1.400)	0.874 (0.659, 1.158)	1.359* (1.053, 1.755)	1.215 (0.897, 1.646)	1.109 (-0.006, 2.225)	1.168 (-0.228, 2.565)	-0.041 (-0.618, 0.536)
<i>Frequent travel by bus</i>	1.602*** (1.290, 1.990)	0.968 (0.754, 1.243)	1.657*** (1.316, 2.086)	1.557** (1.178, 2.058)	0.865 (-0.150, 1.880)	4.397*** (3.126, 5.668)	0.506 (-0.018, 1.030)
<i>Frequent travel by car</i>	1.106 (0.835, 1.465)	1.088 (0.798, 1.484)	1.033 (0.778, 1.373)	1.492* (1.072, 2.076)	0.504 (-0.784, 1.791)	-1.001 (-2.613, 0.611)	-0.487 (-1.153, 0.180)
<i>Frequent travel by train</i>	1.277 (0.921, 1.770)	1.067 (0.715, 1.591)	1.342 (0.914, 1.970)	1.927** (1.175, 3.161)	0.075 (-1.503, 1.653)	2.424* (0.449, 4.399)	0.144 (-0.663, 0.951)
<i>Non-UK born</i>	0.617 (0.350, 1.089)	1.735 (0.998, 3.017)	0.627 (0.364, 1.081)	0.899 (0.470, 1.720)	-1.769 (-4.267, 0.730)	-2.142 (-5.270, 0.986)	0.269 (-1.057, 1.594)

<i>Would like to</i>	0.765 (0.574,	1.198 (0.870,	0.767 (0.571,	0.528***	-2.229*** (-	-1.076 (-	-0.587 (-
<i>move</i>	1.020)	1.648)	1.031)	(0.384, 0.725)	3.534, -0.924)	2.710, 0.559)	1.266, 0.092)
<i>Volunteered in</i>	1.516**	0.784 (0.568,	2.178***	1.476*	1.585*	3.963***	1.017***
<i>last year</i>	(1.176, 1.953)	1.082)	(1.609, 2.948)	(1.045, 2.084)	(0.370, 2.801)	(2.441, 5.485)	(0.391, 1.642)
<i>Regular internet</i>	1.355*	0.785 (0.600,	1.250 (0.982,	0.680**	-0.392 (-	0.705 (-0.657,	-0.659* (-
<i>use</i>	(1.073, 1.953)	1.027)	1.591)	(0.508, 0.911)	1.480, 0.696)	2.067)	1.221, -0.096)
<i>Goes out</i>	1.599**	0.705*	1.866***	1.652**	2.964***	3.626***	1.615***
<i>socially</i>	(1.148, 2.225)	(0.511, 0.972)	(1.381, 2.523)	(1.178, 2.317)	(1.557, 4.370)	(1.856, 5.387)	(0.886, 2.345)
<i>Sees</i>	0.902 (0.455,	1.308 (0.632,	0.869 (0.461,	2.372**	4.799***	-0.325 (-	1.700*
<i>friends/family</i>	1.790)	2.708)	1.640)	(1.261, 4.461)	(1.839, 7.789)	4.030, 3.381)	(0.196, 3.203)

*** $p \leq 0.001$, ** $p \leq 0.01$, * $p \leq 0.05$

Table 3. Showing results of regressions of key variables on health and wellbeing measures for those women over 65 who cohabit.

<i>Factors</i>	<i>Long-term condition</i>	<i>GP use (high/low)</i>	<i>Self-rated health</i>	<i>Life satisfaction</i>	<i>SF-12 MCS</i>	<i>SF-12 PCS</i>	<i>GHQ (reversed)</i>
	<i>OR (CI)</i>	<i>OR (CI)</i>	<i>OR (CI)</i>	<i>OR (CI)</i>	<i>β (CI)</i>	<i>β (CI)</i>	<i>β (CI)</i>
<i>Age 75-84 (ref: 65-74)</i>	0.652*** (0.533, 0.798)	1.202 (0.952, 1.518)	0.781* (0.627, 0.972)	0.871 (0.674, 1.125)	0.034 (-0.871, 0.938)	-3.445*** (-4.604, -2.286)	-0.476* (-0.931, -0.020)
<i>Age 85 +</i>	0.572* (0.367, 0.890)	1.145 (0.726, 1.805)	0.858 (0.551, 1.338)	0.762 (0.464, 1.250)	-1.519 (-3.440, 0.402)	-6.974*** (-9.436, -4.512)	-0.725 (-1.698, 0.247)
<i>Income (log)</i>	0.703** (0.556, 0.888)	0.801 (0.635, 1.008)	1.306* (1.050, 1.624)	1.229 (0.957, 1.758)	0.103 (-0.724, 0.931)	0.202 (-0.859, 1.263)	-0.156 (-0.575, 0.263)
<i>Education (ref: school-level)</i>	0.912 (0.735, 1.131)	0.901 (0.683, 1.188)	1.294 (0.996, 1.680)	1.229 (0.909, 1.662)	0.035 (-.928, 0.998)	1.359* (0.125, 2.594)	-0.271 (-0.759, 0.216)
<i>Homeowner (ref: yes)</i>	1.443** (1.117, 1.865)	0.575*** (0.440, 0.751)	2.183*** (1.688, 2.824)	1.705*** (1.283, 2.267)	2.759*** (1.640, 3.877)	4.466*** (3.032, 5.899)	1.249*** (0.685, 1.813)
<i>Wales (ref: England)</i>	0.937 (0.627, 1.400)	0.914 (0.564, 1.482)	0.799 (0.516, 1.235)	1.155 (0.678, 1.969)	0.815 (-0.995, 2.625)	-0.036 (-2.356, 2.284)	0.510 (-0.407, 1.426)
<i>Scotland</i>	0.963 (0.699, 1.328)	1.011 (0.688, 1.484)	0.803 (0.564, 1.144)	0.802 (0.538, 1.197)	0.661 (-0.772, 2.094)	0.282 (-1.555, 2.118)	0.573 (-0.147, 1.292)
<i>Northern Ireland</i>	1.039 (0.583, 1.854)	1.761 (0.949, 3.269)	0.553 (0.284, 1.076)	0.840 (0.380, 1.854)	-1.082 (-3.889, 1.726)	-2.961 (-6.559, 0.638)	-0.187 (-1.607, 1.233)
<i>Employment (ref: employed)</i>	1.588** (1.174, 2.147)	0.522** (0.331, 0.823)	2.269*** (1.481, 3.475)	0.768 (0.522, 1.129)	1.245 (-0.081, 2.572)	3.210*** (1.509, 4.911)	0.714* (0.043, 1.385)
<i>Ethnicity</i>	1.013 (0.499, 2.058)	1.673 (0.743, 3.765)	0.934 (0.414, 2.108)	1.028 (0.374, 2.825)	-1.965 (-5.172, 1.242)	0.313 (-3.797, 4.424)	-0.018 (-1.626, 1.590)
<i>Rural</i>	1.179 (0.977, 1.424)	0.948 (0.754, 1.191)	1.502*** (1.206, 1.869)	1.481** (1.150, 1.909)	1.061* (0.220, 1.902)	1.685** (0.607, 2.763)	0.303 (-0.121, 0.728)
<i>Frequent travel by bus</i>	1.330** (1.101, 1.606)	0.703** (0.556, 0.888)	1.523*** (1.224, 1.895)	1.607*** (1.246, 2.072)	1.060* (0.215, 1.906)	3.565*** (2.481, 4.648)	0.726*** (0.299, 1.152)
<i>Frequent travel by car</i>	1.197 (0.801, 1.789)	1.255 (0.801, 1.967)	1.304 (0.860, 1.977)	1.193 (0.759, 1.874)	3.292*** (1.517, 5.067)	1.803 (-0.472, 4.078)	0.420 (-0.483, 1.322)
<i>Frequent travel by train</i>	1.596** (1.203, 2.117)	0.728 (0.493, 1.075)	1.185 (0.832, 1.689)	1.057 (0.711, 1.573)	0.590 (-0.664, 1.845)	2.016* (0.408, 3.624)	0.077 (-0.561, 0.714)
<i>Non-UK born</i>	0.818 (0.511, 1.309)	0.984 (0.548, 1.767)	0.726 (0.426, 1.237)	1.399 (0.706, 2.772)	0.784 (-1.304, 2.872)	-2.630 (-5.306, 0.046)	0.479 (-0.575, 1.534)

<i>Would like to</i>	0.664***	1.336*	0.728** (0.573,	0.558***	-2.277*** (-	-1.254* (-	-1.419*** (-
<i>move</i>	(0.532, 0.829)	(1.040, 1.716)	0.924)	(0.431, 0.721)	3.254, -1.300)	2.506, -0.001)	1.910, -0.927)
<i>Volunteered in</i>	1.065 (0.860,	0.918 (0.698,	1.178 (0.910,	1.154 (0.855,	0.623 (-0.338,	0.942 (-0.233,	0.380 (-0.104,
<i>last year</i>	1.320)	1.206)	1.523)	1.559)	1.583)	2.173)	0.865)
<i>Regular internet</i>	1.428**	0.779*	1.563***	1.068 (0.823,	1.106* (0.175,	1.895**	-0.046 (-
<i>use</i>	(1.161, 1.756)	(0.613, 0.991)	(1.252, 1.951)	1.387)	2.037)	(0.701, 3.088)	0.515, 0.422)
<i>Goes out</i>	1.656**	1.132 (0.821,	1.694***	1.891***	2.633***	3.059***	2.158***
<i>socially</i>	(1.230, 2.228)	1.562)	(1.265, 2.270)	(1.388, 2.577)	(1.362, 3.904)	(1.430, 4.687)	(1.518, 2.799)
<i>Sees</i>	1.211 (0.681,	0.634 (0.364,	1.764 (0.993,	1.372 (0.762,	2.734* (0.319,	2.373 (-0.723,	0.641 (-0.577,
<i>friends/family</i>	2.152)	1.105)	3.131)	2.472)	5.149)	5.468)	1.859)

*** $p \leq 0.001$, ** $p \leq 0.01$, * $p \leq 0.05$