



UWL REPOSITORY

repository.uwl.ac.uk

Public health challenges and responses to the growing ageing populations: A review of literature

Khan, Hafiz T.A. ORCID logoORCID: <https://orcid.org/0000-0002-1817-3730>, Addo, Kwaku Mari and Findlay, Helen (2024) Public health challenges and responses to the growing ageing populations: A review of literature. essopenarchive.org. (Submitted)

This is the Draft Version of the final output.

UWL repository link: <https://repository.uwl.ac.uk/id/eprint/11333/>

Alternative formats: If you require this document in an alternative format, please contact: open.research@uwl.ac.uk

Copyright: Creative Commons: Attribution 4.0

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy: If you believe that this document breaches copyright, please contact us at open.research@uwl.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

Rights Retention Statement:

Public health challenges and responses to the growing ageing populations: A review of literature

Hafiz T.A. Khan¹

¹Affiliation not available

March 19, 2024

Hafiz T.A. Khan

College of Nursing, Midwifery and Healthcare, University of West London, Brentford, Middlesex TW8 9GB, United Kingdom, Email: hafiz.khan@uwl.ac.uk

Kwaku Mari Addo

10 Prickly Pear Street, Dome Pillar 2, GE-325-5315, Accra, Ghana, kmariaddo@gmail.com

&

Helen Findlay, PhD (Brunel), Independent Researcher, UK

Abstract

Background: Human populations are rapidly ageing worldwide due to declining birth rates and rising life expectancies. This profound demographic shift presents complex public health challenges. Synthesizing evidence on key public health issues impacting ageing populations and policy strategies is required to address these needs.

Methods: Narrative literature review on the PubMed database. Data extracted on public health challenges and recommended policy solutions affecting ageing populations.

Results: The key public health challenges identified include rising chronic disease burden; risks for preventable multi-morbidities and co-morbidities; disability and dependencies; mental health issues; caregiving gaps; long-term care system deficiencies; health inequities; healthcare access barriers; end-of-life care needs; financial instability; ageism/elder abuse; adverse built environments; climate/disaster threats; and social isolation. Evidence-based policy responses span interventions in healthcare, social services, urban planning, emergency preparedness, economics, technology, anti-ageism advocacy, and many more.

Conclusions: Proactively addressing the array of public health challenges faced by rapidly growing ageing populations globally requires implementing collaborative, multisectoral policy solutions focused on promoting healthy, equitable, and socially engaged ageing. Healthcare systems, communities, and policies must be optimized to meet the needs of older people and tap into their strengths.

Introduction

The world's population is going through demographic change. With decreasing birth rates and longer life expectancies, populations across the globe are ageing rapidly. This shift presents challenges on a scale that require a holistic approach to meet the changing healthcare needs of these ageing populations. It is crucial to recognize and tackle the various public health obstacles that older people face.

It is estimated that by 2050, people aged 65 and above will surpass children under 5 years old worldwide for the first time in history (United Nations, 2019). According to the World Health Organization (WHO, 2022), the percentage of people globally over 60 years old in that same year will nearly double from 12% to 22%. The ageing population will have effects on economies, social services, healthcare systems, communities and families. This significant demographic shift raises public health issues concerning chronic disease management, healthcare infrastructure and social support systems that demand immediate attention and innovative policy solutions (Khan, 2019).

Ageing brings about an increased vulnerability to illnesses, disabilities, geriatric conditions, mental health challenges and other ailments that necessitate enhanced medical care and long-term services and support. Healthcare systems must be strengthened to address the increasing incidences of heart disease, cancer, diabetes, respiratory issues, cognitive decline, musculoskeletal disorders, frailty, incontinence, and malnutrition (Lu et al., 2023). Ageing not only involves these factors but also confronts challenges, like ageism, social isolation, financial insecurity, elder mistreatment, caregiving responsibilities and obstacles in transportation, housing access and community engagement (Higo and Khan, 2015). Urban settings and healthcare facilities tailored for the population may hinder ageing unless they incorporate age friendly adjustments.

This article delves into the health obstacles linked with ageing societies and proposes strategies to tackle the issues.

Methods

This narrative literature review synthesized research from public health, gerontology, geriatric medicine, social sciences, and policy journals to summarize key public health challenges associated with ageing populations as well as evidence-based policy responses.

A comprehensive search of literature was performed using the PubMed electronic database with the medical subject headings (MeSH) and combinations of terms including “ageing”, “aged”, “elderly”, “older adult”, “geriatrics”, “senior citizens”, “ageing population”, “public health”, “healthcare”, “health promotion”, “disease prevention”, “healthcare systems”, “health services”, and “health policy”. There were no limitations imposed on the date of publications, however, articles published since 2010 to 10 February 2024 were prioritized for relevance, but seminal older publications were also included. Grey literature reports on ageing policy and advocacy organization websites provided supplementary data to support our review. Non-related records, non-English manuscripts, personal opinions, duplicates, not relevant manuscripts, not originals, and those not providing information concerning the earlier mentioned topics were excluded.

Data extracted from articles included details on specific public health issues and needs impacting seniors such as chronic conditions, disabilities, healthcare access barriers, caregiving demands, and social or environmental challenges. Policy recommendations or interventions described in the literature to address these public health needs were also extracted. This extracted data was synthesized into summary narratives describing key issues and policy responses in public health domains including healthcare systems, communities and built environments, long-term care, social supports, equity and rights.

The broad scope of topics also precluded systematic review protocols. However, the review provides a comprehensive overview of pressing public health challenges associated with ageing demographics and policy priorities to promote healthy, equitable, and dignified ageing moving forward.

This study involved the analysis of publicly available data and a literature review, therefore, no ethical approval was required. Confidentiality and privacy were maintained throughout the data collection and analysis process.

A thematic analytical approach was applied to summarise the extracted data from the literature and a number of important themes that emerged are discussed below.

Discussion of Results 3.1 Chronic Diseases in Ageing Populations

A major health concern linked to ageing populations is the occurrence of diseases (Christensen et al., 2009; Sun & Li, 2023). Chronic diseases, also referred to as non-communicable diseases, are enduring health conditions that are typically not curable but can be managed through continuous medical care and lifestyle adjustments (WHO, 2023). As individuals grow older, they are more prone to developing ailments such as heart disease, stroke, cancer, diabetes, arthritis, hypertension, dementia and lung disease (CDC, 2023). According to the Centre for Disease Control (CDC, 2023), 6 out of 10 adults in the United States have an illness and 30% of the adult population in the U.S. have at least one chronic condition. The likelihood and frequency of illnesses increase significantly with age (Divo et al., 2014).

The substantial impact of disease on populations adversely affects their quality of life and functional abilities. Chronic conditions contribute to over 75% of healthcare expenditures for individuals aged 65 and above in the United States, amounting to over \$1.5 trillion (Buttorff et al., 2017). Common age-related issues, like frailty, falls and urinary incontinence are also linked to having diseases (Kojima, 2019).

The limitations in functioning and restricted activities caused by illnesses can result in a loss of independence, feelings of isolation and the necessity for ongoing care whether formal or informal (Hung et al., 2011).

For older individuals, managing chronic conditions is intricate and demands coordination among health-care providers, integration of services, attention to potential drug interactions and encouragement for self-management (Schoenberg et al., 2009). Nevertheless, the fragmentation and reimbursement policies of the healthcare systems linked to fee-for-service creates barriers to delivering coordinated care tailored to patients with diseases (Boult et al., 2011).

An increasing challenge faced by the ageing population is the growing burden of cancer among individuals (Tu et al., 2018). A heightened risk of developing cancer comes with ageing that allows mutations to accumulate over time in addition to exposure to carcinogens throughout a person's life (Takeshima & Ushijima, 2019). Ageing is a risk factor with about 80% of all cancer diagnoses in the United States made in individuals aged 55 years and older (Siegel et al., 2019; White et al., 2021).

As people get older, they face a risk of developing prostate, breast, lung and colorectal cancers due to the natural process of cellular ageing and the accumulation of carcinogens (Aunan et al., 2017). Dealing with cancer presents challenges. Older people often have other health issues that can complicate cancer treatments and make them harder to endure. For example, chemotherapy tends to cause side effects in older patients leading to adjustments in dosage or early treatment cessation, which can negatively impact outcomes (Hurria et al., 2011). Older patients also face increased risks with surgery while radiotherapy and hormone therapy may be commonly used due to safety concerns. Moreover, fewer older people undergo cancer screening resulting in late stage diagnoses when the disease is more challenging to treat. These factors collectively contribute to morbidity and mortality rates for cancers among older adults compared to younger individuals (Siegel et al., 2019). Looking to the future, it is predicted that by 2030, there will be a 67% increase in new cases of cancer among older people (Smith et al., 2009).

Healthcare systems face obstacles when it comes to preventing cancer, conducting screenings, diagnosing the disease, providing efficient treatment, managing treatment side effects, offering end of life support, and dealing with financial implications.

Preventable Morbidity and Injury in Ageing Populations

Major public health concerns for ageing populations are preventable morbidity and injury. Older adults are at high risk for many adverse health events that could be avoided or minimized through public health interventions. Key areas of preventable morbidity and injury include falls, adverse drug events, infections, pressure injuries, malnutrition, loneliness, suicide, and abuse/exploitation.

Falls represent a significant marker of frailty, immobility, and both acute and chronic health impairment in older individuals. Beyond the immediate physical injuries they cause, falls can lead to a cascade of adverse outcomes, including activity limitations, fear of falling, and loss of mobility (Berg & Cassells, 1992). They

are the leading cause of injury for those aged 65 and over, with millions requiring emergency care annually for fall injuries like fractures, head traumas, and dislocations (CDC, 2022).

An area that can be overlooked but has been gathering momentum in the last few years is the impact of the menopause on women's health. As populations age, more and more women are experiencing the menopause and it can be considered a major life event that can have a detrimental impact on physical and mental health as well as on health issues in later life (Stute et al., 2016; Currie et al., 2021). It is anticipated that by 2025, the number of postmenopausal women will be around 1.1 billion worldwide and it is claimed that many will present with complex medical issues beyond the scope of traditional gynaecologists and general practitioners (Stute et al., 2022). Not all women will experience short- or long-term problems, but an increasing prevalence of osteoporosis, for example, leading to fractures, can be a particular issue (Stute et al., 2022).

There have been numerous studies about the menopause including one "seeking to identify priorities and address unmet needs in clinical care, education, and access to treatment to improve quality of life for individuals during the menopause transition" (Aninye et al., 2021). Quality of life can be affected during and after the menopause and be exacerbated by the ageing process (Lambrinouadaki et al., 2022). After retrieving data from 21 other studies and 10 countries, Lambrinouadaki et al. (2022) found that "the youngest age at menopause has been described as 48 years for women living in South Asia, the oldest as 52 years in Japanese women, and an intermediate age of 50 years for Caucasian women". These and other studies show the need for educating health professionals, policy makers and women themselves about the menopause, along with the need to treat women in older age holistically as individuals going through this event. This approach will serve to enhance the health and quality of life of women in older age and thereby help limit the burdens on health systems.

Adverse drug events from medication errors, drug-drug interactions and inappropriate prescriptions also affect millions of older adults each year, often requiring hospital care (Shehab et al., 2016). Antibiotic resistant infections are also a major source of illness, as are influenza and pneumonia, due to weakened immunity (Llor & Bjerrum, 2014). Pressure injuries related to immobility affect up to 3 million older people annually (Lyder & Ayello, 2008). Malnutrition impacts up to one third of the elderly that leads to an increase in morbidity (Neloska et al., 2016).

Mental and Cognitive Health Challenges in Ageing Populations

Mental and cognitive health issues pose significant public health challenges as populations age. Common conditions like depression, anxiety, dementia, delirium, and substance abuse impact quality of life, functioning, and healthcare utilization in older adults.

Depression affects up to 15% of older adults, is underdiagnosed and if left untreated, it can worsen outcomes of other conditions (Fiske et al., 2009; Allan et al., 2014; Voroos et al., 2020). Anxiety disorders also worsen chronic disease and disability while reducing social engagement (Brook et al., 2008; Meek et al., 2018). Dementia cases, mainly Alzheimer's disease, are projected to triple by 2050, requiring extensive caregiving (Alzheimer's Association, 2019; Livingston et al., 2020). Delirium, an acute confused state, affects over 7 million hospitalized older people annually, increasing morbidity and mortality (Inouye et al., 2014; Han et al., 2021). Alcohol and prescription drug abuse are also concerns for older populations and can exacerbate cognitive decline (Koch et al., 2019).

These conditions strain medical resources, caregivers, and community services. Stigma around mental health issues can also prevent older adults from seeking treatment (WHO., 2023).

Caregiving Gaps: Meeting the Needs of Ageing Populations

The growth of ageing populations worldwide places enormous strains on caregiving systems. Paid and unpaid caregivers are both in short supply, leading to major care gaps. This situation presents significant public health challenges.

Informal/family caregivers provide most of the long-term care for older adults, but this workforce is dwindling

and overburdened (Lindt et al., 2020). Fewer family members are available to provide care due to declining birth rates and fragmented families. Home care workers are also in extremely short supply, leading to rationing of services and unmet needs (Yang & Zhang., 2023). Assisted living facilities and nursing homes face dire staffing shortages that impacts quality of care (NASEM., 2022). Even access to respite care and hospice/palliative services is inadequate.

These caregiving deficiencies lead to adverse outcomes including caregiver stress and deterioration of health in older people. It is clear that building and sustaining an adequate caregiving workforce is imperative to enable wellbeing, quality of life, and dignity for ageing individuals. It presents daunting challenges but also provides opportunities to innovate systems and support.

Long-Term Care Challenges for Ageing Populations

The rise in ageing of global populations means that long-term care systems are facing serious challenges in meeting the increasing demand. Long-term care refers to a range of medical, personal, and social services required for chronic conditions and disability among older adults. Key long-term care challenges include cost and affordability issues, geographic disparities, staffing difficulties, infrastructure deficits, and discharge delays.

According to Genworth, the costs of long-term care have been rising steadily, with nursing home care charges in the US in 2021 averaging over \$8,910 per month. Limited public coverage places enormous financial strain on older adults and families. Rural areas also lack adequate long-term care options leading to care access gaps based on geography (Zhang et al., 2020). Facilities nationwide face critical staffing shortages, impacting quality of care. Many nursing homes and other long-term care settings have outdated infrastructure that is unsuited to today's care models.

Health Inequities in Ageing Populations

Health equity is a major public health challenge for older populations, with clear disparities along racial, ethnic, geographic, and socioeconomic lines. This contributes to uneven opportunities for healthy ageing.

Racial and ethnic minorities often have higher rates of chronic disease, disability, and mortality in later life due to the cumulative impacts of disadvantage (Wallace et al., 2016). Older people in rural areas frequently have reduced access to healthcare, community services, and support compared to their urban counterparts, exacerbating rural health divides (Henning-Smith et al., 2019). Low socioeconomic status among older adults also correlates to poorer health outcomes and barriers to care across settings (McMaughan et al., 2020). Food and transportation insecurity make managing chronic conditions difficult for those on low-incomes (Seligman et al., 2010).

Closing these equity gaps requires improving healthcare access, economic support, community resources, and environmental infrastructure in disadvantaged communities and populations. Achieving health equity is both a moral and public health imperative for our ageing society.

Healthcare Access Challenges for Ageing Populations

Key challenges for older adults in accessing healthcare include transportation limitations, shortages of geriatric specialists, and care fragmentation.

Mobility impairments and lack of transportation options impede the ability of older adults to attend medical appointments, especially in rural or remote areas (Syed et al., 2013). This leads to delayed care and poor health outcomes. Workforce shortages of geriatric specialists and primary care physicians trained in elder care also reduce access and quality of care (Holveck & Wick, 2018). While coping with possibly multiple chronic conditions, older people have to coordinate across many providers, but care fragmentation hampers this, resulting in conflicting treatment plans, medication issues, and preventable deterioration (Bierman et al., 2021).

Solutions to improve healthcare access for older adults include expanding transportation services, funding

more geriatric fellowships, integrating care teams, enhancing care transitions, and investing in telehealth and outreach to bridge access gaps. With widespread population ageing, ensuring accessible, coordinated, high-quality healthcare for seniors is an urgent priority.

End-of-Life Care Challenges for Ageing Populations

End-of-life care for rapidly growing ageing populations faces critical challenges around advanced care planning and place of death preferences versus realities.

Many older adults avoid making future care plans and having goals of care discussions with providers and families, leading to unwanted, aggressive interventions inconsistent with their wishes (Billings, 2012).

Additionally, while most older adults prefer to die peacefully at home, the majority die in hospital often enduring painful, futile treatments (Gomes et al., 2013). This highlights the lack of hospice and palliative community infrastructure to enable home deaths.

Solutions involve promoting open conversations around care goals and normalizing hospice and advanced planning across healthcare. Clear advanced directives articulating preferences for medical treatments, resuscitation, proxies, and hospice can prevent this. Additionally, policies and payment reforms must bolster community-based palliative care to facilitate home deaths when desired. Honouring the voices and values of older people at the end of life is an ethical imperative.

Financial Safety Threats Facing Older Adults

Financial and economic factors significantly impact health outcomes and wellbeing for older adults. Advancing age often brings heightened vulnerability to financial exploitation through technology abuse and ageism. Online scams targeting older people are rising rapidly, requiring strengthened consumer protections (Shang et al., 2022). Common techniques include phishing emails, internet fraud, and dishonest tech support schemes designed to steal identities, funds, and personal information. Additionally, persistent ageist attitudes diminish the autonomy and self-determination of older people while tacitly enabling mistreatment across settings (Pillemer et al., 2021). Financial security and self-determination require protection from those who prey on the unique vulnerabilities of older adults.

Key financial challenges include high out-of-pocket medical costs, prescription expenses, costly long-term care, limited retirement income, and resultant social isolation.

Out-of-pocket spending on deductibles, premiums, and services not covered by Medicare or insurance create cost barriers to healthcare for many older adults (Park et al., 2021). Prescription medications for chronic conditions also impose financial hardship for those without adequate drug coverage. The exorbitant costs of long-term care for nursing homes are unaffordable for most without insurance and declining pensions and inadequate retirement savings further reduce economic resources.

These financial burdens can deter older adults from seeking healthcare and lead to skipped medications, inadequate nutrition, and social isolation. Policy solutions such as expanding social programs, reducing drug costs, creating affordable long-term care options, and strengthening retirement benefits are needed to address the economic barriers.

Built Environment Barriers Facing Older Adults

The design of neighbourhoods, communities, and homes often poses challenges to mobility, safety, and wellbeing. Age-friendly modifications to housing and outdoor spaces are lacking.

Most existing homes and apartments were constructed without regard to limited mobility, creating hazards for ageing in place (Carnemolla & Bridge, 2019). Features like grab bars, ramps, chair lifts, and lever-style doors and faucets are rarely found in average housing. Without renovations, living at home can lead to slips, falls, and injuries.

Additionally, public parks, streets, and amenities are often designed without considering accessibility and usability. Detrimental built environments lacking sidewalks, parks, and amenities reduce mobility and social connection (Wojnowska-Heciak et al., 2022). Insufficient walking paths, benches, shade, recreational facilities, and pedestrian safety features discourage older adults from physical activity, social connections, and community participation.

Promoting age-friendly housing policies and community planning is imperative. Tax credits, zoning changes, universal design standards, housing vouchers, neighbourhood walkability initiatives, and parks/centres tailored to the needs of older people are key to creating supportive environments for active ageing.

Safeguarding Rights in Ageing Populations

Advancing age often heightens the risks of basic human and civil rights being degraded or violated in multiple domains. Protecting older people from infringement of their fundamental freedoms and entitlements by unethical individuals, exploitative systems, and discriminatory attitudes is an ongoing public health challenge. Elder abuse encompasses physical, psychological, sexual and financial abuses that violate basic human rights.

Ageism manifests itself across healthcare through the dismissal of concerns, inadequate pain management, priorities placed on younger patients, and lack of access to care (Araújo et al., 2017). In long-term care facilities, elder abuse through neglect, over-medication, and disrespect for dignity is far too common (Patel et al., 2021). Societal prejudices diminish the autonomy of older people over their finances, healthcare decisions, sexuality, and lifestyle choices (Boamah et al., 2021).

Beyond physical health issues, many older adults suffer from preventable issues like loneliness, depression, and social isolation that can lead to suicide in severe cases. Elder abuse is also a major public health crisis affecting up to 10% of older people. Public health measures aimed at screening, reporting, family supports, and reducing ageism and social isolation are crucial.

Safeguarding older adults requires multifaceted public health approaches combining technology regulation, consumer education, reporting systems, social supports, and campaigns to reduce the harms of ageism. Robust public health approaches must combine advocacy, education, improved complaint processes, legal reform, care oversight, anti-ageism campaigns, and infrastructure changes. The civil liberties and human rights of older adults are urgent priorities as the mark of a just society is how it protects and empowers its most vulnerable members. Respect for the inherent dignity of all must remain paramount.

Climate Change and Sustainability Threats Facing Older Adults

Climate change and environmental sustainability present multifaceted threats to the health and wellbeing of ageing populations worldwide. Older adults face disproportionate risks from heatwaves, disasters, changing disease patterns, food insecurity, and climate anxiety.

The physiologic, chronic disease, and social vulnerability profiles of many older adults increase their susceptibility to extreme heat events, which are rising due to climate change (Meade et al., 2020). Older people are also especially vulnerable during climate-exacerbated disasters like floods, storms, droughts, and wildfires in terms of mortality and displacement (Sarkar et al., 2023). Shifting vector ecology is already altering geographic distributions of diseases impacting older adults, including West Nile, Lyme Disease, malaria and dengue (Mojahed et al., 2022). Food insecurity is also being amplified by climate disruptions, and older generations face grief and anxiety over the threats of climate change to the futures of their descendants (Cianconi et al., 2020).

Public health strategies to protect our ageing populations must integrate climate adaptation into emergency planning, disease surveillance, green infrastructure, resilient ageing services, sustainable supports, and mental health responses. Environmental justice and sustainability for present and future older people remains an ethical priority.

Sociocultural Challenges Facing Ageing Populations

Ageing populations face diverse sociocultural challenges stemming from changing demographics, evolving social roles and supports, and persistent ageism. Protecting the quality of life of older people requires addressing threats to social wellbeing and cultural inclusion.

Shrinking family sizes and fragmented social networks reduce many social connections and care supports (Zhao & Wu, 2020). Retirement or inability to work also changes community roles and purpose and ageist stereotypes in media and culture plus limited intergenerational interactions can socially isolate older people while denying their voices. Rapid adoption of advanced technology leaves many older people struggling with digital literacy and access barriers (Mannheim et al., 2019). Accessibility of recreational, vocational, volunteer, and learning programs also lag.

Public health strategies to facilitate healthy ageing must combat ageism, boost social capital, integrate generations, and adapt community services and spaces for changing demographics. Social and cultural inclusion of diverse older adults will grow even more crucial amid projected population ageing. Nurturing sociocultural supports will require multidimensional policies, programs, urban planning, and education to enable older people to continue their personal growth, purpose, and sense of community.

3.14 Ageism and Elder Abuse: Threats to Dignity in Ageing

Ageism and elder abuse represent major public health threats impacting quality of life and dignity on a global scale. Ageism involves harmful stereotypes, attitudes, and behaviours that marginalize, disrespect, and disadvantage older adults based solely on their advanced age (Kang & Kim, 2022). Ageist ideology manifests itself across multiple domains including healthcare, housing, social services, the workplace, media representation, interpersonal interactions, and policy decisions (Swift et al., 2017). These prejudices can promote discrimination against the needs and autonomy of older people.

Closely tied to ageism, elder abuse encompasses physical, psychological, sexual and financial abuses inflicting harm on older adults (Pillemer et al., 2021). Neglect of basic needs within families and care facilities also constitutes abuse. Estimates suggest 10% or more of older people worldwide experience some form of abuse, causing physical and emotional trauma (WHO, 2022). Like other forms of violence, elder abuse stems from power differentials as well as systemic and cultural forces.

To counteract these injustices, comprehensive public health approaches to education, reporting, policy reform, staff training, and age-friendly service provision are urgently needed. Fundamentally, cultivating a culture and systems that honour the value, voices, rights, and dignity of people at all life stages represents an ethical imperative as populations increasingly “grey”. The worth of a society ultimately depends on how it treats its elders.

Addressing Public Health Challenges for Ageing Populations

Proactively addressing the myriad health and social challenges that have been outlined will be critical for protecting and enhancing the wellbeing of older people. Although they may be complex, evidence-based policy solutions implemented across sectors can help build more age-friendly, equitable communities.

At the healthcare level, financing for elder care must be strengthened, geriatrics training expanded, care systems integrated, technology leveraged judiciously, and prevention prioritised. For example, meeting the complex cancer care needs of older patients requires coordinated, age-friendly treatment approaches while managing comorbidities. Continued research on improving screening, therapies, and delivery models is essential to reduce the rising cancer burden. Providing appropriate chronic disease treatment also necessitates innovations in team-based care, health IT, telemedicine, care transitions, caregiver training, and self-management support. Recognition of the life-changing impact that the menopause can have on women’s health, particularly in older age, must help inform education and training of medical professionals, related health, social care and support workers. Women need access to evidence based information so they can take a full part in decisions around their own care including in later life.

Building liveable communities calls for accessible housing, transportation, recreational and green spaces

to promote healthy behaviours and connections. Evidence-based fall prevention programs and age-friendly home modifications could prevent many falls and related hospitalizations. Robust caregiver supports, respite services and adaptive workplace policies can help to reduce burdens. End-of-life care requires improved advanced planning guidance and community-based hospice/palliative infrastructure.

Beyond clinical solutions, policies must counteract ageism and elder abuse through enhanced awareness, reporting and response mechanisms. Economic security issues necessitate shoring up of pensions, retirement benefits and safety nets. Promoting digital literacy and intergenerational exchange will help to keep older people socially engaged. Climate and emergency planning must specifically address the resilience needs of older people.

Finally, placing voices of older people at the decision-making centre of policymaking, urban planning and resource allocation will ensure that responses match lived realities. Smart and collaborative public health approaches will enable communities to tap into the strengths, and meet the needs of, their ageing members. The generations we invest in today will shape our collective tomorrow.

Conclusion

The world is on the brink of a shift in demographics that will have an impact on public health. In the coming years, older individuals are set to outnumber children in all countries marking a first in history. This change opens opportunities for communities to benefit from the wealth of experience, knowledge and insights that older people bring. However, longer lifespans also bring about health and social issues that societies need to address creatively.

In essence, older populations face increased risks of disease, disability, geriatric conditions, dementia and mental health challenges that strain healthcare systems primarily designed for care. Apart from these needs, many older people encounter challenges related to insecurity, lack of adequate caregiving support, age related discrimination (ageism), elder abuse concerns, limited transportation options, social isolation and menopause — all impacting their well-being and community engagement. Moreover, living environments in housing and in the locality often lack features that would enable inclusion and healthy ageing.

There is evidence backed policy solutions that will help create communities where older adults can truly thrive. While no single intervention alone can solve all the issues highlighted above, implementing public health strategies across different sectors shows promise as a way forward.

The imminent increase in age of the world's the populations should not be viewed as a problem to solve but rather as a great chance to build societies that can serve everyone well. A focus on fair ageing for all will herald an ability to fully utilize the benefits of long lifespans to enhance communities now and in the future.

References

- Allan, C. E., Valkanova, V., & Ebmeier, K. P. (2014). Depression in older people is underdiagnosed. *The Practitioner* , 258(1771), 19–3.
- Alzheimer's disease facts and figures (2019). *Alzheimer's & Dementia*, 15: 321-387. <https://doi.org/10.1016/j.jalz.2019.01.010>
- Aninye, I., Laitner, MH., Chinnappan, S. (2021). Menopause preparedness: perspectives for patient, provider, and policymaker consideration. *Menopause Journal*, 28(10), 1186-1191. *DOI: 10.1097/GME.0000000000001819*
- Anisimov V. N. (2003). The relationship between ageing and carcinogenesis: a critical appraisal. *Critical reviews in oncology/hematology* , 45(3), 277–304. [https://doi.org/10.1016/s1040-8428\(02\)00121-x](https://doi.org/10.1016/s1040-8428(02)00121-x)
- Araújo, P. O., Soares, I. M. S. C., Vale, P. R. L. F. D., Sousa, A. R., Aparicio, E. C., & Carvalho, E. S. S. (2023). Ageism directed to older adults in health services: A scoping review. *Edadismo contra las personas mayores en servicios de salud: revisión de alcance. Revista latino-americana de enfermagem* , 31, e4019. <https://doi.org/10.1590/1518-8345.6727.4019>

- Aunan, J. R., Cho, W. C., & Søreide, K. (2017). The Biology of Ageing and Cancer: A Brief Overview of Shared and Divergent Molecular Hallmarks. *Ageing and disease*, 8(5), 628–642. <https://doi.org/10.14336/AD.2017.0103>
- Boamah, S. A., Weldrick, R., Lee, T. J., & Taylor, N. (2021). Social Isolation Among Older Adults in Long-Term Care: A Scoping Review. *Journal of ageing and health*, 33(7-8), 618–632. <https://doi.org/10.1177/08982643211004174>
- Brook, C. A., & Schmidt, L. A. (2008). Social anxiety disorder: a review of environmental risk factors. *Neuropsychiatric disease and treatment*, 4(1), 123–143. <https://doi.org/10.2147/ndt.s1799>
- Carnemolla, P., & Bridge, C. (2019). Housing Design and Community Care: How Home Modifications Reduce Care Needs of Older People and People with Disability. *International journal of environmental research and public health*, 16(11), 1951. <https://doi.org/10.3390/ijerph16111951>
- Castillo, E. G., Ijadi-Maghsoodi, R., Shadravan, S., Moore, E., Mensah, M. O., 3rd, Docherty, M., Aguilera Nunez, M. G., Barcelo, N., Goodsmith, N., Halpin, L. E., Morton, I., Mango, J., Montero, A. E., Rahmanian Koushkaki, S., Bromley, E., Chung, B., Jones, F., Gabrielian, S., Gelberg, L., Greenberg, J. M., ... Wells, K. B. (2019). Community Interventions to Promote Mental Health and Social Equity. *Current psychiatry reports*, 21(5), 35. <https://doi.org/10.1007/s11920-019-1017-0>
- Christensen, K., Doblhammer, G., Rau, R., & Vaupel, J. W. (2009). Ageing populations: the challenges ahead. *Lancet (London, England)*, 374(9696), 1196–1208. [https://doi.org/10.1016/S0140-6736\(09\)61460-4](https://doi.org/10.1016/S0140-6736(09)61460-4)
- Cianconi, P., Betrò, S., & Janiri, L. (2020). The Impact of Climate Change on Mental Health: A Systematic Descriptive Review. *Frontiers in psychiatry*, 11, 74. <https://doi.org/10.3389/fpsy.2020.00074>
- Divo, M. J., Martinez, C. H., & Mannino, D. M. (2014). Ageing and the epidemiology of multimorbidity. *The European respiratory journal*, 44(4), 1055–1068. <https://doi.org/10.1183/09031936.00059814>
- Fiske, A., Wetherell, J. L., & Gatz, M. (2009). Depression in older adults. *Annual review of clinical psychology*, 5, 363–389. <https://doi.org/10.1146/annurev.clinpsy.032408.153621>
- Gomes, B., Calanzani, N., Curiale, V., McCrone, P., & Higginson, I. J. (2013). Effectiveness and cost-effectiveness of home palliative care services for adults with advanced illness and their caregivers. *The Cochrane database of systematic reviews*, 2013(6), CD007760. <https://doi.org/10.1002/14651858.CD007760.pub2>
- Han, Q. Y. C., Rodrigues N. G., Klainin-Yobas P., Huagan G., Wu X. V., 2021. Prevalence, Risk Factors, and Impact of Delirium on Hospitalized Older Adults With Dementia: A Systematic Review and Meta-Analysis. *Journal of the American Medical Directors Association*, Volume 23, Issue 1, 23 - 32.e27. <https://doi.org/10.1016/j.jamda.2021.09.008>
- Henning-Smith, C., Moscovice, I. & Kozhimannil, K. (2019). Differences in Social Isolation and Its Relationship to Health by Rurality: Rural-Urban Differences in Social Isolation. *The Journal of Rural Health*. 35. 10.1111/jrh.12344.
- Higo, M. and Khan, H.T.A. (2015). Global Population Aging: Unequal Distribution of Risks in Later Life between Developed and Developing Countries. *Global Social Policy* 15(2):146-166, doi:10.1177/1468018114543157
- Hurria, A., Togawa, K., Mohile, S. G., Owusu, C., Klepin, H. D., Gross, C. P., Lichtman, S. M., Gajra, A., Bhatia, S., Katheria, V., Klapper, S., Hansen, K., Ramani, R., Lachs, M., Wong, F. L., & Tew, W. P. (2011). Predicting chemotherapy toxicity in older adults with cancer: a prospective multicenter study. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology*, 29(25), 3457–3465. <https://doi.org/10.1200/JCO.2011.34.7625>
- Inouye, S. K., Westendorp, R. G., & Saczynski, J. S. (2014). Delirium in elderly people. *Lancet (London, England)*, 383(9920), 911–922. [https://doi.org/10.1016/S0140-6736\(13\)60688-1](https://doi.org/10.1016/S0140-6736(13)60688-1)

- Kang, H., & Kim, H. (2022). Ageism and Psychological Well-Being Among Older Adults: A Systematic Review. *Gerontology & geriatric medicine*, 8, 23337214221087023. <https://doi.org/10.1177/23337214221087023>
- Khan, H.T.A. (2019). Population Ageing in a Globalised World: Risks and Dilemmas? *Journal of Evaluation in Clinical Practice*25(5):754-760, <https://doi.org/10.1111/jep.13071>
- Koch M, Fitzpatrick AL, Rapp SR, et al. Alcohol Consumption and Risk of Dementia and Cognitive Decline Among Older Adults With or Without Mild Cognitive Impairment. *JAMA Netw Open*. 2019;2(9):e1910319. doi:10.1001/jamanetworkopen.2019.10319
- Lambrinouadaki, I., Armeni, E., Goulis, D., Bretz, S., Ceausu, I., Durmusoglu, F., Erkkola, R., Fisticic, I., Gambaccini, M., Geukes, M., Hamoda, H., Hartley, C., Linden Hirschberg, A., Meczekalski, B., Mendoza, N., Mueck, A., Smetnik, A., Stute, P., van Trotsenburg, M., Rees, M. (2022). Menopause, wellbeing and health: A care pathway from the European Menopause and Andropause Society. *Maturitas Journal*, 163, 1-14. <https://doi.org/10.1016/j.maturitas.2022.04.008>
- Lindt, N., van Berkel, J. & Mulder, B.C. Determinants of overburdening among informal carers: a systematic review. *BMC Geriatr* 20, 304 (2020). <https://doi.org/10.1186/s12877-020-01708-3>
- Livingston, G., Huntley, J., Sommerlad, A., Ames, D., Ballard, C., Banerjee, S., Brayne, C., Burns, A., Cohen-Mansfield, J., Cooper, C., Costafreda, S. G., Dias, A., Fox, N., Gitlin, L. N., Howard, R., Kales, H. C., Kivimäki, M., Larson, E. B., Ogunniyi, A., Orgeta, V., ... Mukadam, N. (2020). Dementia prevention, intervention, and care: 2020 report of the Lancet Commission. *Lancet* (London, England), 396(10248), 413–446. [https://doi.org/10.1016/S0140-6736\(20\)30367-6](https://doi.org/10.1016/S0140-6736(20)30367-6)
- Llor, C., & Bjerrum, L. (2014). Antimicrobial resistance: risk associated with antibiotic overuse and initiatives to reduce the problem. *Therapeutic advances in drug safety*, 5(6), 229–241. <https://doi.org/10.1177/2042098614554919>
- Lu, L., Wang, S., Chen, J., Yang, Y., Wang, K., Zheng, J., Guo, P., Cai, Y., & Zhang, Q. (2023). Associated adverse health outcomes of polypharmacy and potentially inappropriate medications in community-dwelling older adults with diabetes. *Frontiers in pharmacology*, 14, 1284287. <https://doi.org/10.3389/fphar.2023.1284287>
- Lyder CH, Ayello EA. Pressure Ulcers: A Patient Safety Issue. In: Hughes RG, editor. *Patient Safety and Quality: An Evidence-Based Handbook for Nurses*. Rockville (MD): Agency for Healthcare Research and Quality (US); 2008 Apr. Chapter 12. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK2650/>
- Mannheim, I., Schwartz, E., Xi, W., Buttigieg, S. C., McDonnell-Naughton, M., Wouters, E. J. M., & van Zaal, Y. (2019). Inclusion of Older Adults in the Research and Design of Digital Technology. *International journal of environmental research and public health*, 16(19), 3718. <https://doi.org/10.3390/ijerph16193718>
- McMaughan, D. J., Oloruntoba, O., & Smith, M. L. (2020). Socioeconomic Status and Access to Healthcare: Interrelated Drivers for Healthy Ageing. *Frontiers in public health*, 8, 231. <https://doi.org/10.3389/fpubh.2020.00231>
- Meade R. R., Akerman A. P., Notley S. R., McGinn R., Poirier P., Gosselin P., Kenny G. P., Physiological factors characterizing heat-vulnerable older adults: A narrative review, *Environment International*, Volume 144, 2020, 105909, ISSN 0160-4120, <https://doi.org/10.1016/j.envint.2020.105909>.
- Meek, K. P., Bergeron, C. D., Towne, S. D., Ahn, S., Ory, M. G., & Smith, M. L. (2018). Restricted Social Engagement among Adults Living with Chronic Conditions. *International journal of environmental research and public health*, 15(1), 158. <https://doi.org/10.3390/ijerph15010158>
- Mojahed, N., Mohammadkhani, M. A., & Mohammadkhani, A. (2022). Climate Crises and Developing Vector-Borne Diseases: A Narrative Review. *Iranian journal of public health*, 51(12), 2664–2673. <https://doi.org/10.18502/ijph.v51i12.11457>

- Montero-Odasso, M., van der Velde, N., Martin, F. C., Petrovic, M., Tan, M. P., Ryg, J., Aguilar-Navarro, S., Alexander, N. B., Becker, C., Blain, H., Bourke, R., Cameron, I. D., Camicioli, R., Clemson, L., Close, J., Delbaere, K., Duan, L., Duque, G., Dyer, S. M., Freiburger, E., . . . Task Force on Global Guidelines for Falls in Older Adults (2022). World guidelines for falls prevention and management for older adults: a global initiative. *Age and ageing*, 51(9), afac205. <https://doi.org/10.1093/ageing/afac205>
- National Academies of Sciences, Engineering, and Medicine; Health and Medicine Division; Board on Health Care Services; Committee on the Quality of Care in Nursing Homes. The National Imperative to Improve Nursing Home Quality: Honoring Our Commitment to Residents, Families, and Staff. Washington (DC): National Academies Press (US); 2022 Apr 6. Summary. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK584660/>
- Currie, H., Abernethy, K., Hamoda, H. (2021). Vision for menopause care in the UK. *Post Reproductive Health Journal*, 27(1). <https://doi.org/10.1177/2053369121989230>
- Neloska, L., Damevska, K., Nikolchev, A., Pavleska, L., Petreska-Zovic, B., & Kostov, M. (2016). The Association between Malnutrition and Pressure Ulcers in Elderly in Long-Term Care Facility. *Open access Macedonian journal of medical sciences*, 4(3), 423–427. <https://doi.org/10.3889/oamjms.2016.094>
- Park, J., Zhang, P., Wang, Y., Zhou, X., Look, K. A., & Bigman, E. T. (2021). High Out-of-pocket Health Care Cost Burden Among Medicare Beneficiaries With Diabetes, 1999-2017. *Diabetes care*, 44(8), 1797–1804. <https://doi.org/10.2337/dc20-2708>
- Pillemer, K., Burnes, D., & MacNeil, A. (2021). Investigating the connection between ageism and elder mistreatment. *Nature ageing*, 1(2), 159–164. <https://doi.org/10.1038/s43587-021-00032-8>
- Sarkar, S. M., Dhar, B. K., Fahlevi, M., Ahmed, S., Hossain, M. J., Rahman, M. M., Gazi, M. A. I., & Rajamani, R. (2023). Climate Change and Ageing Health in Developing Countries. *Global challenges* (Hoboken, NJ), 7(8), 2200246. <https://doi.org/10.1002/gch2.202200246>
- Seligman, H. K., Laraia, B. A., & Kushel, M. B. (2010). Food insecurity is associated with chronic disease among low-income NHANES participants. *The Journal of nutrition*, 140(2), 304–310. <https://doi.org/10.3945/jn.109.112573>
- Shang, Y., Wu, Z., Du, X., Jiang, Y., Ma, B., & Chi, M. (2022). The psychology of the internet fraud victimization of older adults: A systematic review. *Frontiers in psychology*, 13, 912242. <https://doi.org/10.3389/fpsyg.2022.912242>
- Shehab, N., Lovegrove, M. C., Geller, A. I., Rose, K. O., Weidle, N. J., & Budnitz, D. S. (2016). US Emergency Department Visits for Outpatient Adverse Drug Events, 2013-2014. *JAMA*, 316(20), 2115–2125. <https://doi.org/10.1001/jama.2016.16201>
- Siegel, R. L., Miller, K. D., & Jemal, A. (2019). *Cancer statistics, 2019*. CA: a cancer journal for clinicians, 69(1), 7–34. <https://doi.org/10.3322/caac.21551>
- Smith, B. D., Smith, G. L., Hurria, A., Hortobagyi, G. N., & Buchholz, T. A. (2009). Future of cancer incidence in the United States: burdens upon an ageing, changing nation. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology*, 27(17), 2758–2765. <https://doi.org/10.1200/JCO.2008.20.8983>
- Stute, P., Ceausu, I., Depypere, H., Lambrinouadaki, I., Mueck, A., Perez-Lopez, FR., van der Schouw, YT., Senturk, LM., Simoncini, T., Stevenson, JC., Rees, M. (2016). A model of care for healthy menopause and ageing: EMAS position statement. *Maturitas Journal*, 92, 1-6. <https://doi.org/10.1016/j.maturitas.2016.06.018>
- Sun, X., & Li, X. (2023). Editorial: Ageing and chronic disease: public health challenge and education reform. *Frontiers in public health*, 11, 1175898. <https://doi.org/10.3389/fpubh.2023.1175898>

Swift, H.J., Abrams, D., Lamont, R.A. and Drury, L. (2017), The Risks of Ageism Model: How Ageism and Negative Attitudes toward Age Can Be a Barrier to Active Ageing. *Social Issues and Policy Review*, 11: 195-231. <https://doi.org/10.1111/sipr.12031>

Syed, S. T., Gerber, B. S., & Sharp, L. K. (2013). Traveling towards disease: transportation barriers to health care access. *Journal of community health*, 38(5), 976–993. <https://doi.org/10.1007/s10900-013-9681-1>

Takeshima, H., Ushijima, T. Accumulation of genetic and epigenetic alterations in normal cells and cancer risk. *npj Precis. Onc.* 3, 7 (2019). <https://doi.org/10.1038/s41698-019-0079-0>

Tu H, Wen C P, Tsai S P, Chow W, Wen C, Ye Y et al. Cancer risk associated with chronic diseases and disease markers: prospective cohort study *BMJ* 2018; 360 :k134 doi:10.1136/bmj.k134

United Nations. (2022). “Ageing”. Retrieved from <https://www.un.org/en/global-issues/ageing#:~:text=Latest%20trends%20in%20Population%20Ageing&text=It%20is%20projected%20that%20by,of%20c>

Voros, V., Fekete, S., Tenyi, T., Rihmer, Z., Szili, I., & Osvath, P. (2020). Untreated depressive symptoms significantly worsen quality of life in old age and may lead to the misdiagnosis of dementia: a cross-sectional study. *Annals of general psychiatry*, 19, 52. <https://doi.org/10.1186/s12991-020-00302-6>

Wallace, S., Nazroo, J., & Bécarea, L. (2016). Cumulative Effect of Racial Discrimination on the Mental Health of Ethnic Minorities in the United Kingdom. *American journal of public health*, 106(7), 1294–1300. <https://doi.org/10.2105/AJPH.2016.303121>

White, M. C., Holman, D. M., Boehm, J. E., Peipins, L. A., Grossman, M., & Henley, S. J. (2014). Age and cancer risk: a potentially modifiable relationship. *American journal of preventive medicine*, 46(3 Suppl 1), S7–S15. <https://doi.org/10.1016/j.amepre.2013.10.029>

Wojnowska-Heciak, M., Suchocka, M., Błaszczuk, M., & Muszyńska, M. (2022). Urban Parks as Perceived by City Residents with Mobility Difficulties: A Qualitative Study with In-Depth Interviews. *International journal of environmental research and public health*, 19(4), 2018. <https://doi.org/10.3390/ijerph19042018>

World Health Organization. (2022, June). “Abuse of older people”. Retrieved from <https://www.who.int/news-room/fact-sheets/detail/abuse-of-older-people>

World Health Organization. (2022, October). “Ageing and Health”. Retrieved from <https://www.who.int/news-room/fact-sheets/detail/ageing-and-health>

Yang, G., & Zhang, L. (2023). Relationship between ageing population, birth rate and disposable income per capita in the context of COVID-19. *PloS one*, 18(8), e0289781. <https://doi.org/10.1371/journal.pone.0289781>

Zhang, L., Zeng, Y., Wang, L., & Fang, Y. (2020). Urban-Rural Differences in Long-Term Care Service Status and Needs Among Home-Based Elderly People in China. *International journal of environmental research and public health*, 17(5), 1701. <https://doi.org/10.3390/ijerph17051701>

Zhao, L., & Wu, L. (2022). The Association between Social Participation and Loneliness of the Chinese Older Adults over Time-The Mediating Effect of Social Support. *International journal of environmental research and public health*, 19(2), 815. <https://doi.org/10.3390/ijerph19020815>