



UWL REPOSITORY

repository.uwl.ac.uk

A meta-ethnography of male suicide bereavement qualitative research

Whitebrook, John ORCID logo ORCID: <https://orcid.org/0000-0003-1651-3671> (2023) A meta-ethnography of male suicide bereavement qualitative research. In: UWL Doctoral Students Conference, 13th July 2023, London.

This is the Presentation of the final output.

UWL repository link: <https://repository.uwl.ac.uk/id/eprint/11514/>

Alternative formats: If you require this document in an alternative format, please contact: open.research@uwl.ac.uk

Copyright: Creative Commons: Attribution 4.0

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy: If you believe that this document breaches copyright, please contact us at open.research@uwl.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

Rights Retention Statement:



Alex Whitebrook

03-Feb-1991 ~ 01-May-2017

A META-ETHNOGRAPHY OF MALE SUICIDE BEREAVEMENT QUALITATIVE RESEARCH

John Whitebrook



UNIVERSITY OF
WEST LONDON

UWL Doctoral Students
Conference 14-Jul-2023





Survivors of
Bereavement
by Suicide

Research Programme Graphic



Literature

M.Sc.




Male suicide bereavement, trauma, men & help-seeking, postvention & peer support etc.

Lived experiences of men bereaved by suicide: impact, coping, support sought / taken up etc.

Exploring barriers and facilitators to postvention uptake & effectiveness; including providers & non-participatory men

Exploring the factors that may determine postvention uptake & effectiveness in men, including non-participatory men (demographics, loss, stigma, attitudes, wellness etc.)



Broad Literature Review:
Cross-sectional overview of postvention in male context

Meta-ethnography:
Review of male postvention qualitative research

Qualitative Study:
Identification of key drivers regarding male postvention

Quantitative Study:
Contribution of main drivers for male postvention uptake & effectiveness

Unique Contribution:

- Essential insights into the factors impacting UK & Ireland adult males bereaved by suicide, and how postvention approaches require modification to meet their needs

Possible Impacts:

- Greater awareness and understanding, facilitating a more unified approach to suicide postvention
- Description, and enablement, of a key role for male survivors in determining the approach to postvention

META-ETHNOGRAPHY

Meta-Ethnography: Synthesizing Qualitative studies (Noblit & Hare, 1988):

- The synthesis of interpretive research
- Involves the translation of studies into one another
- The translation of studies takes the form of an analogy between and/or among the studies
- ‘making a whole into something more than the parts alone imply’

Improving reporting of meta-ethnography: The eMERGe reporting guidance (France et al., 2019):

- To provide guidance to improve the completeness and clarity of meta-ethnography reporting
- Recommendations and good practice for all seven phases of meta-ethnography conduct and reporting were newly identified leading to 19 reporting criteria and accompanying detailed guidance


META-ETHNOGRAPHY: STRUCTURED APPROACH

- Timeframe
- Team
- Review question:
 - **What are the lived experiences of men bereaved by suicide?**
- Data sources
- Population
- Searches
- Types of study
- Data extraction
- Risk of bias (quality) assessment
- Strategy for data synthesis
- Language
- Dissemination plans
- Inclusion / exclusion criteria
- **>50% Male participation**

← Protocol¹

PRISMA Flowchart²

| Database | Search Strategy | Results |
|-----------------------|--|-------------|
| Academic Search Elite | (suicid* OR self-killing) AND (grie* OR bereave* OR mourn* OR loss) AND (survivor* OR relative* OR relation* OR dependant* OR family OR parent OR spouse* OR widower OR child* OR sibling* OR orphan* OR friend*) AND (male* OR men or man) AND Apply related words ✓ Apply equivalent subjects ✓ Language = English | 138 |
| CINAHL Complete | (suicid* OR self-killing) AND (grie* OR bereave* OR mourn* OR loss) AND (survivor* OR relative* OR relation* OR dependant* OR family OR parent OR spouse* OR widower OR child* OR sibling* OR orphan* OR friend*) AND (male* OR men or man) AND Apply related words ✓ Apply equivalent subjects ✓ Language = English Limits: Human Sex = Male Age Groups = All Adult | 165 |
| Medline (OVID) | (suicid* OR self-killing) AND (grie* OR bereave* OR mourn* OR loss) AND (survivor* OR relative* OR relation* OR dependant* OR family OR parent OR spouse* OR widower OR child* OR sibling* OR orphan* OR friend*) AND (male* OR men or man) AND Limits: Humans English Language Male Age Groups = All Adult (19 plus years) Map term to sub-heading ✓ | 368 |
| PsycARTICLES | (suicid* OR self-killing) AND (grie* OR bereave* OR mourn* OR loss) AND (survivor* OR relative* OR relation* OR dependant* OR family OR parent OR spouse* OR widower OR child* OR sibling* OR orphan* OR friend*) AND (male* OR men or man) AND Apply related words ✓ Apply equivalent subjects ✓ Age Groups = Adulthood (18 years & older) Population Group = Male Language = English (post query) | 24 |
| PsycINFO | (suicid* OR self-killing) AND (grie* OR bereave* OR mourn* OR loss) AND (survivor* OR relative* OR relation* OR dependant* OR family OR parent OR spouse* OR widower OR child* OR sibling* OR orphan* OR friend*) AND (male* OR men or man) AND Apply related words ✓ Apply equivalent subjects ✓ Age Groups = Adulthood (18 years & older) Language = English Population Group = Male | 31 |
| ProQuest | (suicid* OR self-killing) AND (grie* OR bereave* OR mourn* OR loss) [in ABSTRACT] AND (survivor* OR relative* OR relation* OR dependant* OR family OR parent OR spouse* OR widower OR child* OR sibling* OR orphan* OR friend*) AND (male* OR men or Language = English | 550 |
| Google Scholar | With all the words – (suicide bereavement) With the exact phrase – With at least one of the words – (qualitative research methods interview ethnographic phenomenological experience experiences) Without the words – Where my words occur – @in the title of the article Language = English Include citations ✓ | 86 |
| TOTAL = | | 1645 |



Iteration → Review → Quality Assessment³

← Defined Data Searches

1. Prospero (International prospective register of systematic reviews) format: <https://www.crd.york.ac.uk/prospero/>
2. Preferred Reporting Items for Systematic reviews and Meta-Analyses - PRISMA 2020 explanation and elaboration: updated guidance and exemplars for reporting systematic reviews (Page et al., 2021)
3. CASP (Critical Appraisal Skills Programme) qualitative studies checklist 4

SYNTHESIS

IMPACT: questioning of own existence and purpose (including suicidal ideation); searching for answers...

DISTRESS: shock, anger, fear, guilt, agony, grief, anxiety, denial, depression, injustice...

BLAME: judgement, disrespect, low empathy, religious dogma. Self-blame leading to withdrawal...

RESPONSIBILITY: failure to keep the deceased safe; protective towards other survivors...

MEMORIALISATION: continuing bonds, pride and personal growth, spirituality; shattered dreams, relief.

HEALTHCARE & SUPPORT: deceased's mental health / self-harm or suicide attempts; let down by healthcare system...

CULTURE: taboo regarding suicide and mourning; systemic broad and long-term denial...

INNER CONFLICTS: e.g., emotional pain but fear of losing the connection if it fades; guilty of keeping secrets...

➔ EIGHT CONCEPTS

SYNTHESIS

IMPACT: questioning of
own existence...

Changed Forever: the
impacts of suicide are
not transitional but
life-changing and
permanent...

DISTRESS: shock,
anxiety...

Trauma: the effect of
bereavement by suicide
is far reaching and the
adaptation process
non-linear...

BLAME: judgement,
disapproval...

Stigmatisation: mental
health and suicide,
frowned upon; survivors
are frequently judged...

RESPONSIBILITY:

Protector: sense of
failure to protect those
lost; feel responsible for
subsequently keeping
others safe from
suicide...

MEMORIALISATION:

Lost futures: the lives
that could have been
are mourned, even as
survivors fondly recall
those they lost...

HEALTHCARE &
SUPPORT: deceased's
needs...

Lost in plain sight:
millions significantly
affected but not
recognised in terms of
their losses, trauma
and support needs...

CULTURE: taboo
regarding
suicide...

Societal norms: losses
within framework of
culture and society;
constrained by
acceptable customs...


INNER CONFLICTS: e.g.,
emotional
distress...

Dualities: constantly
face conflicting
emotions, pressures,
expectations, needs
etc.; cognitive
dissonance...

➔ EIGHT CONSTRUCTS

SUICIDE BEREAVEMENT

PROPOSED MODEL



CONCLUSIONS (INTERIM)

- Suicide bereavement highly complex & many interwoven facets
- All included studies fit the proposed model:
 - Reciprocal translation, line of argument (Noblit & Hare, 1988)
- Suicide bereavement changes people permanently:
 - Recovery and growth is not linear; may be locked in grief
- Suicide bereavement **IS** different – qual. vs. quant.
- Dualities somewhat akin to the Dual Process Model (Stroebe & Schut, 1999) but with **contention** as well as **oscillation**
- Postvention (bereavement support) research remains rare and usually regarding specific relationships to those lost
- Very little in studies specific to male bereavement:
 - Stereotypical findings – avoidance, over-working, drinking
- Need to be able to reach men that do not seek support

THANK YOU

John Whitebrook

21412615@student.uwl.ac.uk

Twitter: @JohnWhitebrook

Discord: johnwhitebrook

<https://netecr.org/2022/03/13/john-whitebrook/>

<https://www.linkedin.com/in/john-whitebrook-864b04/>

1. A phenomenological study of siblings bereaved by suicide: A shared experience (Adams et al., 2019)
2. Grief Reactions and Suicide Bereavement in the Context of Stigma among Parents: An IPA (Ali & Rehna, 2022)
3. Suicide and trauma: A case discussion (Briggs et al., 2012)
4. The “men in grief” phenomenon among suicide bereaved Chinese men in Hong Kong (Chan & Cheung, 2022)
5. Initial-Stage Suicide Bereavement Experiences: A Case Study (Chen & Laitila, 2022)
6. Experiences of Parental Suicide-Bereavement: A Longitudinal Qualitative Analysis over Two Years (Entilli et al., 2021)
 - Parents’ Experiences of Suicide-Bereavement: A Qualitative Study at 6 and 12 Months after Loss (Ross et al., 2018)
7. Stigma in the bereavement experiences of gay men who have lost a partner to suicide (Ferlatte et al., 2019)
8. Suicide bereavement and coping: a descriptive and interpretative analysis of the coping process (Gaffney & Harrigan, 2010)
9. Suicide of a close family member through the eyes of a child: A narrative case study report (Jackson et al., 2015)
10. Case Study of a Survivor of Suicide Who Lost All Family Members Through Parent–Child Collective Suicide (Lee et al., 2015)
11. We’re The First Port Of Call’ – Perspectives of Ambulance Staff on Responding to Deaths by Suicide - A Qualitative Study (Nelson et al., 2020)
12. “Doctor, please don’t say he died by suicide”: exploring the burden of suicide survivorship in a developing country (Ohayi, 2019)
13. Men on Losing a Male to Suicide: A Gender Analysis (Oliffe et al., 2018)
14. Discursive construction of fatherly suicide (Ziółkowska & Galasiński, 2017)

APPENDIX: INCLUDED STUDIES