

## UWL REPOSITORY repository.uwl.ac.uk

A suicide bereavement model: based on a meta-ethnography of the experiences of adult suicide loss survivors

Whitebrook, John ORCID logoORCID: https://orcid.org/0000-0003-1651-3671, Lafarge, Caroline ORCID logoORCID: https://orcid.org/0000-0003-2148-078X and Churchyard, Jamie ORCID logoORCID: https://orcid.org/0000-0002-7551-0609 (2025) A suicide bereavement model: based on a meta-ethnography of the experiences of adult suicide loss survivors. In: 4th Annual Suicide Research Symposium, 23-25 Apr 2025, Online. (Submitted)

This is the Presentation of the final output.

**UWL repository link:** https://repository.uwl.ac.uk/id/eprint/13698/

**Alternative formats**: If you require this document in an alternative format, please contact: <a href="mailto:open.research@uwl.ac.uk">open.research@uwl.ac.uk</a>

#### Copyright:

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

**Take down policy**: If you believe that this document breaches copyright, please contact us at <a href="mailto:open.research@uwl.ac.uk">open.research@uwl.ac.uk</a> providing details, and we will remove access to the work immediately and investigate your claim.

### A Suicide Bereavement Model: A Meta-Ethnography of the Experiences of Adult Male Suicide Loss Survivors

John Whitebrook Ph.D.

Research Symposium

4<sup>th</sup> Annual Suicide



Alex Whitebrook 03-Feb-1991 ~ 01-May-2017





## Meta-Ethnography: Synthesizing Qualitative studies (Noblit & Hare, 1988):

- The synthesis of interpretive research
- Involves the translation of studies into one another
- The translation of studies takes the form of an analogy between and/or among the studies
- 'making a whole into something more than the parts alone imply'

### Meta-Ethnography

Improving reporting of meta-ethnography: The eMERGe reporting guidance (France et al., 2019):

- To provide guidance to improve the completeness and clarity of meta-ethnography reporting
- Recommendations and good practice for all seven phases of metaethnography conduct and reporting were newly identified leading to 19 reporting criteria and accompanying detailed guidance

### Meta-Ethnography Protocol

(Prospero format) <a href="https://www.crd.york.ac.uk/prospero/">https://www.crd.york.ac.uk/prospero/</a> International prospective register of systematic reviews


- Timeframe
- Team
- Review question:
  - What are the lived experiences of men bereaved by suicide?
- Data sources
- Population
- Types of study

- Data extraction
- Risk of bias (quality) assessment
- Strategy for data synthesis
- Language
- Dissemination plans
- Inclusion / exclusion criteria
- <u>> 50% Male participation</u>

### Data Sources

Database	Search Strategy	Results
Academic Search Elite	(suicid* OR self-killing) AND (grie* OR bereave* OR mourn* OR loss) AND (survivor* OR relative* OR relation* OR dependant* OR	138
	family OR parent OR spouse* OR widower OR child* OR sibling* OR orphan* OR friend*) AND (male* or men or man) AND	
	Apply related words ✓   Apply equivalent subjects ✓   Language = English	
CINAHL Complete	(suicid* OR self-killing) AND (grie* OR bereave* OR mourn* OR loss) AND (survivor* OR relative* OR relation* OR dependant* OR	165
	family OR parent OR spouse* OR widower OR child* OR sibling* OR orphan* OR friend*) AND (male* or men or man) AND	
	Apply related words ✓   Apply equivalent subjects ✓	
	Language = English   Limits: Human   Sex = Male   Age Groups = All Adult	
Medline (OVID)	(suicid* OR self-killing) AND (grie* OR bereave* OR mourn* OR loss) AND (survivor* OR relative* OR relation* OR dependant* OR	368
	family OR parent OR spouse* OR widower OR child* OR sibling* OR orphan* OR friend*) AND (male* or men or man) AND	
	Limits: Humans   English Language   Male   Age Groups = All Adult (19 plus years)   Map term to sub-heading ✓	
PsycARTICLES	(suicid* OR self-killing) AND (grie* OR bereave* OR mourn* OR loss) AND (survivor* OR relative* OR relation* OR dependant* OR	24
	family OR parent OR spouse* OR widower OR child* OR sibling* OR orphan* OR friend*) AND (male* or men or man) AND	
	Apply related words ✓   Apply equivalent subjects ✓	
	Age Groups = Adulthood (18 years & older)   Population Group = Male   Language = English (post query)	
PsycINFO	(suicid* OR self-killing) AND (grie* OR bereave* OR mourn* OR loss) AND (survivor* OR relative* OR relation* OR dependant* OR	314
	family OR parent OR spouse* OR widower OR child* OR sibling* OR orphan* OR friend*) AND (male* or men or man) AND	
	Apply related words ✓   Apply equivalent subjects ✓	
	Age Groups = Adulthood (18 years & older)   Language = English   Population Group = Male	
ProQuest	(suicid* OR self-killing) AND (grie* OR bereave* OR mourn* OR loss) [in ABSTRACT] AND (survivor* OR relative* OR relation* OR	550
	dependant* OR family OR parent OR spouse* OR widower OR child* OR sibling* OR orphan* OR friend*) AND (male* or men or	
	Language = English	
Google Scholar	With all the words – (suicide bereavement)	86
	With the exact phrase –	
	With at least one of the words – (qualitative research methods interview ethnographic phenomenological experience experiences)	
	Without the words –	
	Where my words occur — ●in the title of the article	
	Language = English   Include citations ✓	

TOTAL = 1645



Preferred Reporting Items for Systematic reviews and Meta-Analyses

PRISMA 2020 explanation and elaboration: updated guidance and exemplars for reporting systematic reviews (Page et al., 2021)

IMPACT: questioning of own existence and purpose (including suicidal ideation); searching for answers...

DISTRESS: shock, anger, fear, guilt, agony, grief, anxiety, denial, depression, injustice...

BLAME: judgement, disrespect, low empathy, religious dogma; selfblame leading to withdrawal... HEALTHCARE &
SUPPORT: deceased's
mental health / selfharm or suicide
attempts; let down by
healthcare system...

RESPONSIBILITY: failure to keep the deceased safe; protective towards other survivors... CULTURE: taboo regarding suicide and mourning; systemic broad and long-term denial...

MEMORIALISATION: lost futures, pride and personal growth, spirituality; relief...

IMPACT: questioning of own existence and purpose (including suicidal ideation); searching for answers...

DISTRESS: shock, anger, fear, guilt, agony, grief, anxiety, denial, depression, injustice...

BLAME: judgement, disrespect, low empathy, religious dogma; selfblame leading to withdrawal... HEALTHCARE &
SUPPORT: deceased's
mental health / selfharm or suicide
attempts; let down by
healthcare system...

RESPONSIBILITY: failure to keep the deceased safe; protective towards other survivors... CULTURE: taboo regarding suicide and mourning; systemic broad and long-term denial...

MEMORIALISATION: lost futures, pride and personal growth, spirituality; relief...



IMPACT: questioning of

Changed Forever: the impacts of suicide are not transitional but lifechanging and permanent...

DISTRESS: shock, anger, fear, guilt, agony, grief, anxiety, denial, depression, injustice...

BLAME: judgement, disrespect, low empathy, religious dogma. Selfblame leading to withdrawal... HEALTHCARE &
SUPPORT: deceased's
mental health / selfharm or suicide
attempts; let down by
healthcare system...

RESPONSIBILITY: failure to keep the deceased safe; protective towards other survivors... CULTURE: taboo regarding suicide and mourning; systemic broad and long-term denial...

MEMORIALISATION: lost futures, pride and personal growth, spirituality; relief...



IMPACT: questioning of own

Changed Forever: the impacts of suicide are not transitional but lifechanging and permanent...

DISTRESS shock anger,

Trauma: the effect of bereavement by suicide is far reaching and the adaptation process non-linear...

**⇒** SYNTHESIS

BLAME: judgement, disrespect, low empathy, religious dogma. Selfblame leading to withdrawal... HEALTHCARE &
SUPPORT: deceased's
mental health / selfharm or suicide
attempts; let down by
healthcare system...

RESPONSIBILITY: failure to keep the deceased safe; protective towards other survivors... CULTURE: taboo regarding suicide and mourning; systemic broad and long-term denial...

MEMORIALISATION: lost futures, pride and personal growth, spirituality; relief...

IMPACT: questioning of

Changed Forever: the impacts of suicide are not transitional but lifechanging and permanent...

DISTRESS shock anger,

Trauma: the effect of bereavement by suicide is far reaching and the adaptation process non-linear...

**⇒** SYNTHESIS

BLAME: judgement,

Stigmatisation: mental health and suicide, frowned upon; survivors are frequently judged...

RESPONSIBILITY: failure to keep the deceased safe; protective towards other survivors...

MEMORIALISATION: lost futures, pride and personal growth, spirituality; relief... HEALTHCARE &
SUPPORT: deceased's
mental health / selfharm or suicide
attempts; let down by
healthcare system...

CULTURE: taboo regarding suicide and mourning; systemic broad and long-term denial...

IMPACT: questioning of own

Changed Forever: the impacts of suicide are not transitional but lifechanging and permanent...

DISTRESS shock anger,

Trauma: the effect of bereavement by suicide is far reaching and the adaptation process non-linear...

**⇒** SYNTHESIS

BLAME: judgement,

Stigmatisation: mental health and suicide, frowned upon; survivors are frequently judged...

Protector: sense of failure to protect those lost; feel responsible for subsequently keeping others safe from suicide...

MEMORIALISATION: lost futures, pride and personal growth, spirituality; relief... HEALTHCARE &
SUPPORT: deceased's
mental health / selfharm or suicide
attempts; let down by
healthcare system...

CULTURE: taboo regarding suicide and mourning; systemic broad and long-term denial...

IMPACT: questioning of own

Changed Forever: the impacts of suicide are not transitional but lifechanging and permanent...

DISTRESS shock anger,

Trauma: the effect of bereavement by suicide is far reaching and the adaptation process non-linear...



BLAME: judgement,

Stigmatisation: mental health and suicide, frowned upon; survivors are frequently judged...

RESPONCIBILITY Callura

Protector: sense of failure to protect those lost; feel responsible for subsequently keeping others safe from suicide...

#### MEMORIALICATION:

Lost futures: the lives
that could have been are
mourned, even as
survivors fondly recall
those they lost...

HEALTHCARE &
SUPPORT: deceased's
mental health / selfharm or suicide
attempts; let down by
healthcare system...

CULTURE: taboo regarding suicide and mourning; systemic broad and long-term denial...

if it fades; guilty of keeping secrets...

23-Apr-2025

IMPACT: questioning of own

Changed Forever: the impacts of suicide are not transitional but lifechanging and permanent...

DISTRESS shock anger,

Trauma: the effect of bereavement by suicide is far reaching and the adaptation process non-linear...



BLAME: judgement,

Stigmatisation: mental health and suicide, frowned upon; survivors are frequently judged...

Protector: sense of failure to protect those lost; feel responsible for subsequently keeping others safe from

#### MEMORIALICATION:

Lost futures: the lives
that could have been are
mourned, even as
survivors fondly recall
those they lost...

suicide...

HEALTHCARE &
SUPPORT: deceased's

Lost in plain sight:
millions significantly
affected but not
recognised in terms of
their losses, trauma and
support needs...

CULTURE: taboo regarding suicide and mourning; systemic broad and long-term denial...

IMPACT: questioning of own

Changed Forever: the impacts of suicide are not transitional but lifechanging and permanent...

DISTRESS shock anger,

Trauma: the effect of bereavement by suicide is far reaching and the adaptation process non-linear...



BLAME: judgement,

Stigmatisation: mental health and suicide, frowned upon; survivors are frequently judged...

RESPONCIBILITY Callura

Protector: sense of failure to protect those lost; feel responsible for subsequently keeping others safe from suicide...

#### MEMORIALICATION.

Lost futures: the lives
that could have been are
mourned, even as
survivors fondly recall
those they lost...

HEALTHCARE &
SUPPORT: deceased's

Lost in plain sight:
millions significantly
affected but not
recognised in terms of
their losses, trauma and
support needs...

CULTURE: taboo

rega

Societal norms: losses within framework of culture and society; constrained by acceptable customs...

INNER CONFLICTS: e.g., emotional pain but fear of losing the connection if it fades; guilty of keeping secrets...

23-Apr-2025

oros

IMPACT: questioning of Own ...

> **Changed Forever**: the impacts of suicide are not transitional but lifechanging and permanent...

#### DISTRESS shock anger,

Trauma: the effect of bereavement by suicide is far reaching and the adaptation process nonlinear...



BLAME: judgement, isres

> Stigmatisation: mental health and suicide, frowned upon; survivors are frequently judged...

RESPONCIBILITY Callura

**Protector**: sense of failure to protect those lost; feel responsible for subsequently keeping others safe from suicide...

#### MEMORIALICATION.

**Lost futures**: the lives that could have been are mourned, even as survivors fondly recall

**HEALTHCARE &** SUPPORT deceased's Lost in plain sight: millions significantly affected but not recognised in terms of their losses, trauma and support needs...

**CULTURE**: taboo


Societal norms: losses within framework of culture and society; constrained by acceptable customs...

INNER CONFLICTS: e.g., emoti

> **Dualities**: constantly face conflicting emotions, pressures, expectations, needs etc.; cognitive dissonance...

those they lost...

#### Proposed Suicide Bereavement Model





- Reciprocal translation, line of argument (Noblit & Hare, 1988)
- Dualities somewhat akin to the Dual Process Model (Stroebe & Schut, 1999) but with contention as well as oscillation
- Postvention research remains rare and usually regarding specific relationships to those lost
- Very little in studies specific to male bereavement:
  - Stereotypical findings avoidance, over-working, drinking
- Need to be able to reach men that do not seek support
- Model is applicable to all suicide loss survivors



#### Conclusions

- Suicide bereavement highly complex & many interwoven facets
- Suicide bereavement changes people permanently:
  - Recovery and growth is not linear; may be locked in grief
- Suicide bereavement *IS* different qual. vs. quant.
- Provides a platform for dialogue and empathy
- Professionals and carers increased awareness of the magnitude of the challenges of suicide bereavement
- Facilitation of improved and extended services available to suicide loss survivors
- Support can be applied in the context of the full picture



Implications for practice

- 1. A phenomenological study of siblings bereaved by suicide: A shared experience (Adams et al., 2019)
- 2. Grief Reactions and Suicide Bereavement in the Context of Stigma among Parents: An IPA (Ali & Rehna, 2022)
- 3. Suicide and trauma: A case discussion (Briggs et al., 2012)
- 4. The "men in grief" phenomenon among suicide bereaved Chinese men in Hong Kong (Chan & Cheung, 2022)
- 5. Initial-Stage Suicide Bereavement Experiences: A Case Study (Chen & Laitila, 2022)
- 6. Experiences of Parental Suicide-Bereavement: A Longitudinal Qualitative Analysis over Two Years (Entilli et al., 2021)
  - Parents' Experiences of Suicide-Bereavement: A Qualitative Study at 6 and 12 Months after Loss (Ross et al., 2018)
- 7. Stigma in the bereavement experiences of gay men who have lost a partner to suicide (Ferlatte et al., 2019)
- 8. Suicide bereavement and coping: a descriptive and interpretative analysis of the coping process (Gaffney & Harrigan, 2010)
- 9. Suicide of a close family member through the eyes of a child: A narrative case study report (Jackson et al., 2015)
- 10. Case Study of a Survivor of Suicide Who Lost All Family Members Through Parent-Child Collective Suicide (Lee et al., 2015)
- 11. We're The First Port Of Call' Perspectives of Ambulance Staff on Responding to Deaths by Suicide A Qualitative Study (Nelson et al., 2020)
- 12. "Doctor, please don't say he died by suicide": exploring the burden of suicide survivorship in a developing country (Ohayi, 2019)
- 13. Men on Losing a Male to Suicide: A Gender Analysis (Oliffe at al., 2018)
- 14. Discursive construction of fatherly suicide (Ziółkowska & Galasiński, 2017)

#### THANK YOU

John Whitebrook

John.Whitebrook@research.uwl.ac.uk

John.Whitebrook@uksobs.org

Twitter: @JohnWhitebrook

Discord: John Whitebrook#3775

https://netecr.org/2022/03/13/john-whitebrook/

https://www.linkedin.com/in/john-whitebrook-864b04/



