



UWL REPOSITORY

repository.uwl.ac.uk

An empirical investigation into the role of values in occupational therapy decision-making

Thomas, Yvonne, Seedhouse, David, Peutherer, Vanessa and Loughlin, Michael ORCID logo ORCID: <https://orcid.org/0000-0002-2234-2146> (2019) An empirical investigation into the role of values in occupational therapy decision-making. *British Journal of Occupational Therapy*, 82 (6). pp. 357-366. ISSN 0308-0226

<http://dx.doi.org/10.1177/0308022619829722>

This is the Accepted Version of the final output.

UWL repository link: <https://repository.uwl.ac.uk/id/eprint/6022/>

Alternative formats: If you require this document in an alternative format, please contact: open.research@uwl.ac.uk

Copyright:

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy: If you believe that this document breaches copyright, please contact us at open.research@uwl.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

Rights Retention Statement:

AN EMPIRICAL INVESTIGATION INTO THE ROLE OF VALUES IN OCCUPATIONAL THERAPY DECISION-MAKING

Short title: Values in Occupational Therapy

1. Yvonne Thomas, Principal Lecturer, School of Allied Health and Community, University of Worcester, UK and Adjunct Lecturer, James Cook University, Australia
2. David Seedhouse, Owner, Values Exchange, Visiting Professor, University of Derby, UK and University of Western Sydney. Australia.
3. Vanessa Peutherer, Learning and Development Facilitator/Consultant, Values-Exchange, NHS, Universities. Health and Social Care Ethics Scenario Writer, Researcher, Author.
4. Michael Loughlin, Professor of Applied Philosophy, University of West London, Academic Visitor, Nuffield Department of Surgical Sciences, University of Oxford Medical School & Project Director of the Literature Database Programme, Collaborating Centre for Values-based Practice, St Catherine's College, University of Oxford

Corresponding Author:

Yvonne Thomas

Principal Lecturer, School of Allied Health and Community, University of Worcester, UK

Email: y.thomas@worc.ac.uk

Abstract:

The importance of values in occupational therapy is generally agreed, however there is no consensus about their nature or their influence on practice. It is widely assumed that occupational therapists hold and act on a body of shared values, yet there is a lack of evidence to support this.

The research tested the hypothesis that occupational therapists' responses to ethically challenging situations would reveal common values specific to the occupational therapy profession. 156 occupational therapists were asked to decide what should be done in 5 common-place yet ethically complex situations, presented as scenarios for debate.

The results show that while most occupational therapists share very general values, they frequently disagree about what to do in practice situations, often justifying their choices with different and sometimes conflicting specific values. In some cases, the same respondents espouse contradictory values in similar situations.

The extensive literature about decision-making - together with the study's results – confirm that when occupational therapists make decisions, they draw on multiple factors, consciously and unconsciously. These factors vary between individuals. Value judgements are one part only of a complex process which includes personal experience, intuition, social influences, culture, psychological influences and relationships with both colleagues and clients.

Key Words: Health Care, Values; Ethics; Education

INTRODUCTION

It is widely believed that professionals should practise according to 'shared values' such as the NHS Core Values (NHS, 2015). 'Values-based practice', 'values-based mission statements' and

'values-based recruitment' are commonly considered basic requirements for ethical practice (Francis, 2013; HEE, 2014). Yet at the same time there is no consensus amongst theorists about what values are, and no empirical evidence that professionals actually hold, or act on, shared values (Seedhouse, 2005, 2009).

Some theorists equate values with 'needs, wishes and preferences' (Brecher, 2014; Fulford, 2011; Wright-St Clair and Newcombe, 2014), others see them as 'commitments, goals, desires, interests and perspectives (including moral perspectives)' (Loughlin, 2014: ix), while others characterise them as 'enduring beliefs which a person holds about what is good or desirable in life' (Rokeach, 1973). One occupational therapist asserts that a value is neither a belief, nor attitude, nor principle, for example, but "an abstract, evaluative concept that serves to determine the ethical validity of an attitude, action or situation" (Drolet 2014; p.7). These and many other perspectives on values have been discussed, and challenged, by various theorists over the past fifty years with no clear consensus or definition (Allport, 1961; Fulford, 2008; Loughlin, 2002, 2014; Loughlin & Miles, 2015; Loughlin et al., 2018; Rokeach, 1973; Veatch, 1995; Seedhouse, 2005).

VALUES IN OCCUPATIONAL THERAPY LITERATURE

The Royal College of Occupational Therapy (RCOT) has attempted to identify the professional values and behaviours expected of its members in its Professional Standards and Code of Ethics and Professional Conduct (RCOT, 2015, 2017). These values include: occupational focus ('promote participation'); service-user centred; work within professional competence, develop professional competence; team work; communicate respectfully; efficiency and sustainability; and manage risks. The RCOT believes 'occupation and activity are fundamental to a person's health and well-being' (RCOT, 2017: p2) and prioritises respectful communication and professional competence (RCOT, 2017).

However, a recent review of values in the occupational therapy literature (Drolet, 2014) notes that most of the profession's value statements lack an evidence base and are compiled only from professional association documents and/or the personal opinions of occupational therapy scholars. This being so, there are inevitable conflicts within the profession. For instance, the American Occupational Therapy Association (AOTA) identifies 7 core values of Occupational Therapy Practice - altruism, equality, freedom, justice, dignity, truth, and prudence (AOTA, 1993; AOTA, 2015). These values have been challenged as culturally specific, denying alternative global contexts in which occupational therapy is practised (Hocking, Whiteford and Henare, 1995). The reaction of occupational therapy theorists to this sort of criticism has been to suggest yet further values, for example, courage, imagination, resilience, integrity and mindfulness (Peloquin, 2007). One study identified 61 values perceived to be 'essential' in occupational therapy (Aguilar et al., 2013). Clearly, opinions on occupational therapy values differ greatly (Drolet, 2014, Wright-St Clair and Newcombe, 2014).

Four recent studies on values in occupational therapy practice have used different methodologies including, interviews (Aguilar et al., 2012; Drolet and Désormeaux-Moreau, 2016); Delphi technique (Aguilar et al., 2013) and an experimental mixed methods design using the VX (Wright-St Clair and Newcombe, 2014). Three of the studies relied on occupational therapists reporting the values they consider to be important, while the fourth used a case scenario for participants to judge, based on a common practice dilemma (Wright-St Clair and Newcombe, 2014). The findings of this latter study were that the occupational therapists involved disagreed about what to do in the scenario and used diverse values in their decision making, suggesting both that there is no simple set of professional values in occupational therapy, and that occupational therapists' personal values are integrated in their professional decision making.

METHOD

An exploratory sequential mixed methods approach was taken. Ethical approval for the study was obtained through the University of Worcester. The study comprised 3 phases: Phase 1 aimed to develop 5 practice based scenarios which would comprise the data collection tool for phase 2; Phase 2 aimed to elicit the values of practising occupational therapists through a dedicated online forum (Values Exchange©); Phase 3 aimed to identify strategies for translating the study findings for education and practice through a series of focus groups.

Phase 1: Scenario Development

Building on a previous study (Wright St-Clair and Newcombe, 2014) which focused on one practice scenario in community setting, a series of scenarios reflecting the diversity of occupational therapy practice was required for this study. The initial phase of this study involved a purposive group of 6 practicing (or recently retired) occupational therapists with experience in a range of practice settings, 4 service users and 4 researchers, to ensure the scenarios captured clients and occupational therapists' perceptions. Invitations to a half day workshop, together with information regarding the study aims, were sent directly to occupational therapist contacts known to the first author and chosen because of their specific knowledge and broad range of experience of occupational therapy. Additionally requests were sent to three senior occupational therapists in local NHS Trusts for nominations from specific areas of practice. Invitations to service users were sent through the University of Worcester IMPACT group. The ethics committee advised that phase one participants did not require consent forms, as this phase was considered preparatory to the main study.

The workshop began with an introduction to the concept of values in occupational therapy practice and a discussion about values in occupational therapy. Participants worked in small groups to discuss potential scenarios that would highlight a professional dilemma. The development of the scenarios was based on discussions of participants' experiences and shared understandings of situations where client and therapist' values can conflict.

Each scenario gave a clear description of a complex but recognisable practice dilemma, involving a specific client. The client's and family's opinions, and other considerations that might influence the occupational therapist's course of action, were included. Figure 1 provides an example of one of the scenarios agreed by the team, as it appears on the website.

It was assumed that the inclusion of practising occupational therapists and service users in the development of the scenarios would increase the validity of the data collection. Consequently, the researchers worked closely with participants to ensure that the scenarios were consistent with current health service provision and based on occupational therapists' and service users' experience. A proposal for action, to which respondents' could agree or disagree, was made for each scenario.

Figure 1: GEORGE

George is a 14 yr old male with cerebral palsy, affecting all 4 limbs. George is known already to the Community Occupational Therapy Team.

You are a Paediatric Occupational Therapist and you have recently completed a home visit to George and his family to reassess his current mobility equipment. It is found, after assessment, that the previous equipment is no longer suitable for George's current or future needs.

George's parents have recently visited (with George) a specialist show demonstrating new, state of the art wheelchairs and equipment. Both George and his parents have identified a chair which they feel would be perfect for George's

current and future needs. George is also aware that his new chair will give him a degree of favourable status amongst his friends and peers, being high tech and modern in appearance.

However, you are aware that there is a perfectly suitable chair available in the local community equipment store which Social Services would normally expect you to recommend. Social Services fund equipment for persons such as George. Although this chair is currently available, and resources are scarce, George is adamant that he does not want this chair as he sees it as old fashioned and clunky.

Both George and his parents are adamant that they are only prepared to accept the high tech chair which they have seen at the show. What should you do?

It is proposed that you recommend the chair that George and his family have requested.

Phase 2: Online Data Collection

The scenarios formed the data collection tool for Phase 2. Initially six scenarios were uploaded to a dedicated group page on the Values Exchange (VX) <http://otresearch.vxcommunity.com/>. The VX has been collecting data about health care decision-making for over 16 years and hosts over half a million unique responses to dilemmas, many of which are in the public domain. The VX has been used in education internationally for teaching and assessment of values-based decision making (Godbold and Lees, 2013, 2016; Mc Inerney and Lees, 2018) and for research (Wright-St Clair and Newcombe, 2014). It has proved to be a reliable and easily accessible on-line forum for ethical debate.

Both the use of the VX website and the 6 scenarios were piloted. Over a period of four weeks, the workshop participants were invited to log on to the VX website, pilot the process of polling, providing brief rationales to support their decisions, discussing the scenarios, and make suggestions for editing the wording and layout. A photograph for each scenario was downloaded from the internet and included in the scenario layout. The piloting process allowed each participant to make responses to the scenarios and to discuss their rationales online. During the piloting period the final five scenarios were selected for the study (see Table One). One scenario did not generate a lot of discussion, the solution appeared simple and clear to all and it did not therefore elicit the data on values that underpinned the proposed action leading to the group deciding that this scenario should be removed.

Following the pilot period, Occupational Therapists from across the UK and from a broad range of practice settings were recruited through social media to respond to the scenarios.

Phase 2 of the study required participants to register on the dedicated group page, where information of the study's aims and a consent form were provided. Participants were asked to provide basic demographic data and choose a pseudonym with which to participate, if they wanted to maintain anonymity. Occupational therapists were recruited from a range of practice settings. Respondents were asked to consider the 5 scenarios and independently explain and justify what they would do.

Analysis of the findings occurred in two ways. Initially the results of the polls were considered, and where appropriate the demographic data of respondents who agreed and disagreed with each proposal were compared. It is important to note that agreement or disagreement with the proposal does not necessarily indicate the values that underpin individual respondents' decisions. Instead inductive analysis of the qualitative data, provided in participants' rationales and discussion threads explored the values (or preferences) behind the decision-making process. A process of thematic analysis was conducted by the first author, using a process of initial coding and categorisation, to elicit themes (Braun and Clarke, 2006).

Phase 3: Knowledge Translation

The results of Phase 2 were used to generate strategies for knowledge translation through education of students and practicing occupational therapists. The results of this final phase of the research are not included in this article and will be the basis of further publications. A series of focus groups including practicing occupational therapists and service users were conducted in various locations across the UK. Invitations to participate in the focus groups were sent to all participants of phase 2 and via social media to occupational therapists across the UK. Participant information and consent forms were sent to all respondents prior to the focus group and consent confirmed before the group commenced. Focus groups included a brief summary of the findings and a semi-structured format to generate strategies for knowledge translation. The focus group discussions were digitally recorded, and key points were agreed and documented throughout the discussions. Transcriptions of the discussion, together with the written documents, were analysed thematically to identify strategies for pre- and post- registration education.

This article presents the results of Phase 1, together with the preliminary results from Phase 2. Further analysis of the results of phase 2 and phase 3 will be published separately.

FINDINGS

160 occupational therapists registered in this phase of the study and completed the first scenario (Brian) as they appeared on the site. Participant numbers for the other scenarios varied; some participants did not complete all five scenarios. The response rate for each scenario and polling results are shown on Table 1.

Name	Age	History	Problem	Simple Result
George	15	Cerebral Palsy, affecting all 4 limbs	George wants a wheelchair which is not on the approved list. PROPOSAL: It is proposed that you recommend the chair that George and his family have requested.	(n=74) 33 agree 41 disagree
Melissa	45	Unknown condition but appears disoriented – not your client, but a neighbour	Refusing help. PROPOSAL: It is proposed that you inform Melissa's General Practitioner of your concerns	(n=129) 100 agree 29 disagree
Florence	75	Stroke with receptive and expressive dysphasia	Non-concordant when hoisting to eat lunch. PROPOSAL: It is proposed that you continue with the procedure and sit Florence out for lunch.	(n=80) 3 agree 77 disagree
Brian	27	Brain Injury from birth	Wants to attend a paintballing party where there is a risk of head injury. PROPOSAL: It is proposed that you strongly advise Brian not to go paintballing with his friends	(n=160) 6 agree 154 disagree
Andi	42	Fibromyalgia	Requesting to see equipment with a	(n=99)

		view to asking for its provision. PROPOSAL: It is proposed that the Occupational Therapist fetches the equipment from the car	16 agree 83 disagree
--	--	---	---------------------------------------

Table 1: Summary of 5 scenarios and polling results

[Insert Table 1 here]

Of the 160 participants; 150 were female and 10 were male, representing the gender imbalance within the occupational therapy profession. Participants had a wide range of practice experience, as indicated by the years since qualification, 70 participants had between 0 and 10 years since qualifying, while 15 had between 31 and 40 years since qualification (see Table 2). Participants also indicated their current practice areas, which were grouped together into hospital, community and non-clinical to allow for comparisons. The study involved participants from a wide range of practice areas; 54 respondents worked in hospital settings, 78 worked in the community, 13 worked in non-clinical settings and 15 indicated 'other setting' (see Table 3).

Years since qualification	Boxes ticked	All (n=160)
0-10 years	Less than 2 years = 23 (14%) 2-5 years = 25 (15%) 6-10 years = 22 (14%)	70 (43%)
11-20 years	11-15 =14 (9%) 16-20 = 23 (14%)	37 (23%)
21-30	21-30 = 38 (24%)	38 (24%)
31-40	31-40 = 15 (10%)	15 (10%)
More than 40 years	More than 40 years = 0	0

Table 2: Respondents years since qualification

Practice Setting	Areas of Practice	All Respondents (n=160)	Practice Grouping
Hospital	Physical	40 (25%)	54 (34%)
	Inpatient Mental Health	14 (9%)	
Community	Social Services	23 (14%)	78 (48%)
	Mental Health/ Learning Dis	19 (12%)	
	General	18 (11%)	
	Private practice	11 (7%)	
	Schools	4 (2%)	
	Case Management	3 (2%)	
Non clinical	Charities/non Trust	6 (4%)	13 (9%)

	Management	4 (2%)	
	Education in Universities	3 (3%)	
Unknown	Other	15 (9%)	15 (9%)

Table 3: Participants: Areas of Practice

For each scenario participants were presented with online polls using a Likert Scale with ‘agree strongly’, ‘agree’, ‘disagree’ and ‘disagree strongly’ choices. The results of the polls are shown on table 1. Participants provided their rationales and opinions as free text comments, which were visible to other respondents, which allowed for online discussion and debate. In addition 2 scenarios (Florence and George) were presented as Values Exchange ‘cases’, and offered respondents further opportunity to explore their ideas and values by responding to visual prompts (Think Screens) and clicking on a number of pre-set options. Think Screen 1 asked *Who matters most?* Think Screen 2 provides six possible reactions to the scenario including Dignity, Your Feelings, Your Role, Law, Risk, and Rights. Participants are asked to pick any that apply (i.e. *that help you say what you really want to*) and there were additional prompts to identify what underlies the choice. Think Screen 3 asked participants to identify reasons, and what alternatives might be pursued. Each screen included comment boxes for participants to add free text The Think Screens aimed to promote further self-enquiry to identify individual views – they did not provide a pre-selected range of values. After submitting their views, respondents were able to comment on each other’s responses in unlimited conversation threads. 553 unique responses were received for the 5 situations.

The results of the polling show high agreement amongst participants for two scenarios; Florence and Brian. In both scenarios most participants disagreed with the proposal to go against the client’s desires and perceived wishes, lending some credence to the view that occupational therapists are sensitive to clients’ values and work in creative ways to respect client autonomy.

However, this is not the same for the other three scenarios, George, Melissa and Andi. Further exploration of the responses to these demonstrates the complexity of occupational therapy decisions, revealing a range of values and influences.

Examples of occupational therapists using divergent values

Preliminary results provide clear evidence that participants in this study used divergent values to underpin decision-making. The following examples highlight the fact that, as professionals, occupational therapists differ in respecting client values.

The polling results for George’s request for a non-standard wheelchair demonstrate the lowest level of consensus, with a 45:55 split amongst 74 participants. Comparison of respondents based on years since qualification and area of practice demonstrate little difference between those that agreed and those who disagreed, although a higher proportion of participants with 21-30 years of experience, i.e. those with arguably most experience, were more likely to disagree, than those with less experience. Interestingly participants working in the community were more likely to disagree than those working in hospitals. However it is important to note that the low numbers of respondents in each group, suggests caution in interpreting these trends.

Analysis of the qualitative data suggests that for those who disagreed with the proposal (to recommend the chair George and his family requested) sensitivity to and respect for the client's values was overridden by a duty to administer interventions in adherence with organisational policy; for example:

"I could not justify recommending something just because it is what the client and his parents want." (OT A)

and

"The duty to the service and equity of treatment to all. I cannot recommend a more expensive item if it offers no other benefits than status for George. I would recommend the old-fashioned chair from the stores, with the proviso that George and family can purchase the modern chair if they so wish." (OT B)

Those who agreed with the proposal were able to justify provision of a non-standard wheelchair in a variety of creative ways, for example:

"Both chairs are considered to meet George's physical needs. The one they have chosen also helps George to maintain his confidence and access meaningful occupation as a teenager as he develops through this emotionally challenging period. Parents can be assured that this need is met and the chair is likely to last him longer than the aged chair in stock." (OT C)

Analysis of the responses to this case not only demonstrates the range of different values that influence practice decisions, it also indicates that occupational therapists' values are themselves driven by contextual factors and the socio-political environment in which they work. In practice-based situations occupational therapists must weigh-up the competing demands of their clients' goals and wishes and the organisational constraints that determine their ability to meet these demands.

For Andi and Melissa, the polls showed a higher level of consensus with 80%:20% split, although interestingly most participants decided against the expressed wishes of the client, giving a variety of justifications for their decisions. In justifying the decision to go against the clients' wishes, occupational therapists provided alternative ways of meeting clients' assumed needs, based on the occupational therapy role and the client's diagnosis.

For instance, for Andi, who had requested ADL equipment:

"I would explain that our ethos, in most circumstances, is to help people maintain as much independence as possible and in this instance, being functionally active without equipment may assist with pain/mood. Equipment provision may ultimately lower feelings of self-efficacy and foster an over reliance. I would explain that better long-term outcomes are more likely to be achieved through engagement with various treatments/therapies." (OT D)

and

"Although Andi has a choice, it is not our role as an OT to simply be dictated to. Equipment is prescribed for someone based on an assessment of need, so if she is not

deemed at this moment in time to need such equipment then giving it to her will only lead her to conform / adapt to a disability role, which is the opposite of what our profession promotes.” (OT E)

In contrast:

“A meaningful conversation about equipment would, in my view, be enhanced by having some equipment in the house to look at, talk about and try out. Otherwise it is all just a theoretical discussion with the OT holding the power over what an individual feels may help her. I would be extremely uncomfortable with this.” (OT P)

For Melissa, who is a neighbour and not a client, most participants agreed to go against her expressed wishes (not to contact her GP) because they assumed a ‘duty of care’ to her, for example:

“I have a duty to report my concerns, not as an OT but as a member of the public, and neighbour. There is no confidentiality being breached and even if there was, I would argue that information was passed on in the best interests of the person.” (OT H)

“I feel I would have a duty of care as a neighbour regardless of my profession, but working as an OT I feel I would be negligent if I did not alert her GP/local authorities.” (OT I)

“If I was the O.T. I feel that as her neighbour it's really the only course of action available to me - in the circumstances I don't feel I could go along with her request for me to do nothing.” (OT J)

“She needs appropriate help. I couldn't ignore the fact she is looking so unwell and at risk.” (OT K)

Those who did not agree with contacting her GP, had greater respect for Melissa’s values, and considered that it was her choice and not a professional responsibility.

“As far as we are aware the lady is able to make decisions about her own welfare. She has made it clear that she doesn't want you involved. Although I would naturally feel concern for my neighbour I am not a family member and the GP may not be able to discuss his patient with me.” (OT P)

“I think it is Melissa's decision to contact her GP to seek advice and support.” (OT M)

“I don't have a professional relationship with Melissa, she is not and never has been my client, she is a neighbour.... I can't imagine it being appropriate for me to contact her GP.” (OT N)

“I would not feel comfortable making a referral to a health care practitioner without her consent. I also think that what the GP can do with this information is really limited, given that she is not consenting to see the Dr herself.” (OT O)

Examples of the same participant using divergent values in similar situations

Across the 5 scenarios, analysis of the results indicate that respondents’ application of values is divergent not only between participants in the group, but also with the same participant across different scenarios. The following example shows how a respondent may in one case perceive a clear duty to meet a client’s expressed need but not in another similar case.

One participant (OT F) was clearly sympathetic with George and his family's values and supported their choice because of the aesthetic properties of the chair, the psychological impact and valued a holistic approach;

"The other chair that is funded will meet Georges physical needs yes, but what about his other needs? His emotional developmental needs? His new and emerging identity and role as he emerges into a teenager? That is why he wants a "cool" and high tech chair. Image is and will be important to him. We are holistic OT's; that is what we need to think about."

However, the same participant strongly disagreed with the proposal to show equipment to Andi because of how it will look despite Andi's request.

"I believe that Andi wants equipment because it will "look" like she has an illness and therefore feel more "validated/affirmed" by others as stated above. We are a very visual disability culture - if you don't see aids/adaptations then "they don't have a disability"...."

OT G supported George's wish for the trendy chair:

"I have a professional duty to meet needs in a manner that is acceptable to the client."

But did not respect Andi's autonomy:

"I may offer to bring some equipment at the next appointment to try if these were standard items from the loan store, but would be cautious about arranging a demo with a non-standard item if I was not sure I could justify the need for a special purchase..."

These preliminary results from the polling and qualitative analysis demonstrate that occupational therapists think differently in decision-making. The extent to which values underpin decision-making is questionable, and in some situations, it is clear that other factors may take precedence over any professional values that we may or may not hold. Further analysis of the results will explore the factors that influence this divergence in more depth and will be reported separately.

DISCUSSION

The study aimed to explore the professional values that underpin decision-making in occupational therapy practice, though eliciting responses to 5 specifically designed scenarios. The collective responses of 160 occupational therapists were analysed, and show that occupational therapists' decision making is dependent on a range of factors, creating divergent responses in some situations. Further analysis of these differences demonstrates that, despite the profession having a shared knowledge base and a common culture of 'enabling', much is open to personal interpretation. Similar to Wright St-Clair and Newcombe (2014) this study demonstrates that occupational therapists make divergent decisions about practical situations, indicating variation in how our common professional knowledge and philosophy is applied. A lack of consensus between members of the same profession is not surprising, when considering the multitude of factors that frequently need to be considered in practice.

Further analysis demonstrated divergence in the rationales between occupational therapists and at times also the same occupational therapists demonstrated divergence across different scenarios. It is evident that occupational therapists do not consistently apply particular professional values in decision making. One example of a specific professional value such as

client-centred practice, as supported by Code of Ethics and Standards of Practice (RCOT, 2015; 2017), was found to be a significant factor in decision-making for some and yet easily disregarded by others. More surprisingly client-centred practice may not be consistently upheld by the same therapist in different situations. The study further suggests that occupational therapists will apply the same value differently (for example, 'respect'), according to the situation.

There is no consensus in the literature regarding professional values (Aguillar et al, 2012). The findings of this study add empirical evidence to this dissension and challenge the assumption that all occupational therapists share the same values - even the most obvious values of the profession may be applied differently in practice. While the occupational therapy profession values 'enabling' in general, what each occupational therapist thinks will 'enable' frequently differs.

To appreciate the preliminary results of the empirical study it is necessary to place them in the context of contemporary official literature, in which numerous assumptions are widely accepted, particularly in mission statements, codes and declarations. The most significant of these are i) that people hold constant values that always affect their behaviour in the same way (it is assumed that we can be sure, for example, that professional X will always be truthful because she somehow possesses the value 'truthfulness') ii) that groups of people who make up a profession will hold the same values iii) that individual members of 'values-based professions' will consistently apply their profession's values across all their practice and iv) that professionals can and should be retained and recruited (or not) according to which values they hold. Philosophical reflection, well-known decision-making theory, and the study's empirical results show that these assumptions cannot be sustained.

While it is easy to agree in general about the desirability of values like 'respecting' and 'enabling' clients, such value-statements provide only limited guidance to practitioners when dealing with real-world situations (Drolet 2014, Peile and Fulford 2015). For example, two occupational therapists may be committed to valuing both 'patient autonomy' and 'acting in the patient's best interests', but how they interpret these commitments may differ in individual cases. One might interpret 'valuing patient autonomy' as requiring compliance with the patient's currently expressed wishes, whatever they are, while another might regard the wishes as 'out of character' and hence not 'authentic', and so conclude that compliance with them would not be compatible with truly respecting autonomy in this instance (Kane, 2017). Furthermore, when the values of 'respecting autonomy' and 'acting in the patient's best interests' are perceived to conflict, as in Andi's scenario, which value the professional prioritises may differ both between two practitioners, and for the same practitioner in different contexts (Peile, 2014)..

To understand how it is possible for there to be so much enthusiasm for values in health care while there is, at the same time, so much uncertainty about what they are, it is helpful to distinguish between two different understandings of 'values-based practice'. These understandings are:

VBP UNDERSTANDING ONE: DECLARING, SHARING AND USING 'THE RIGHT VALUES'

This version of values-based practice assumes that it's essential that professionals share and apply the 'right values', for example those expressed in ethical codes, professional mission statements, or those which form part of the NHS Constitution (NHS, 2015).

VBP UNDERSTANDING TWO: EXPLORING VALUES IN CONTEXT

This version of values-based practice emphasises the importance of professionals working to clarify their own and their clients' values to include them sensitively in decision-making, and to try

to achieve the most desirable outcomes (Fulford, 2008; Loughlin 2014, 2018; Seedhouse 2005, 2009).

According to the first approach, if professionals adhere to the approved set of organisational values then it is assumed that they will practise consistently, acting in the same way as their fellow professionals, on every specific occasion. According to the second understanding, the importance of recognising values is not to deliver the same service to all clients, but to deliver a service a particular client wants, and the professional is prepared and able to deliver.

Philosophical reflection, investigations into real life decision-making (Damasio, 1994; Ariely, 2009) and evidence from this and Wright-St. Claire and Newcombe's (2014) studies show that the first understanding is naïve and does not reflect how practical decisions are made. The second understanding is more realistic.

The results show that occupational therapists often try to balance client and family values with their professional obligations and their own values. However, this process is highly variable and depends on many factors, which result in diverse and complex decision making in practice (Creek et al 2005; Pentland et al. 2018). As a group, the respondents do not have a fixed and stable set of values, nor do they always apply their values in the same way: they respect some people's choices some of the time but not all people's choices all the time. Unlike 'missions' and 'ethical codes' - which are cast in black and white - individuals' values fluctuate and vary according to many factors, including the situation they are in, how they feel emotionally at the time, peer pressures, their previous experiences, their perceptions of risk, their cultural background, and so on.

CONCLUSION, LIMITATIONS AND RECOMMENDATIONS

We did not find a group of professionals applying a clear and shared set of values to solve problems, rather we found a group of human beings responding to situations in complex human ways.

There are limitations to what can be claimed from one empirical study. It is possible that, were the study repeated with a similar group of occupational therapists, there would be a different result. It is possible that were this study to be carried out with groups from other professions there would be a different result. And it is possible that randomly selected respondents from the general public would respond differently from the occupational therapy professionals we studied.

It is therefore recommended that a further research programme is implemented, using a similar methodology to the first study:

- 1) Research a similar cohort of OTs, to gauge replicability
- 2) Research a cohort from another health profession
- 3) Research a service/commercial profession, for example middle managers in the banking industry
- 4) Research a randomly selected cohort from the general public

It should also be acknowledged that decision-making in real life may be different from decision-making about scenarios sitting before a computer, deciding about hypothetical situations. Non-verbal and environmental cues were lacking, and it is possible that with time and further consultation with fellow OTs, decisions would be different.

An immediate recommendation from the results of the present study is that the education of occupational therapy students and professionals should be enhanced. The results clearly show a

wide range of reasoning and justifications about practical situations, many of which either contrast or directly conflict. It seems important, therefore, to build this reality into both undergraduate education and Continuing Professional Development, by designing and implementing educational programmes that enable occupational therapists and occupational therapy students to recognise the complexity of everyday decision-making in depth, to become more aware of their own assumptions, reactions and value judgements in difficult cases, and to recognise and learn how to respond to fellow professionals – and clients - who may bring very different values and justifications to practice.

Acknowledgements

This research project was supported by UKOTRF grant from the Royal College of Occupational Therapists.

Laura Torney (research assistant) contributed to the initial recruitment and administration of the study.

KEY FINDINGS

- Occupational therapists apply values in practical decision-making in complex and divergent ways
- Values are one factor amongst others in practical decision-making
- The complexity of occupational therapy decision making should be included in student and professional education

WHAT THE STUDY HAS ADDED

The study provides evidence about the role of values in occupational therapy decision-making, highlighting how important it is to be aware of personal, professional and clients' realities in everyday practice.

Ethics: Ethical approval for this study was received in October 2016 from the University of Worcester Ethics Committee (Approval number: PRLT080816). The ethics committee advised that ethical approval was not required for the scenario development phase of the study as it was believed this was a preparatory phase to the research.

Consent: Participants of the online data collection via Values Exchange were provided with information about the study and asked to tick a box to indicate consent to be included in the study.

Acknowledgements: This research project was supported by UKOTRF grant from the Royal College of Occupational Therapists.

Conflicts of interest: The research tool used in this study was developed and owned by David Seedhouse.

Funding: This research project was supported by UKOTRF grant from the Royal College of Occupational Therapists.

Contribution:

Yvonne Thomas as Chief Investigator for the study responsible for the study design, ethical approval, review of the occupational therapy literature and produced the 1st draft of the article and contributed to each revision.

David Seedhouse as coinvestigator and was involved in all aspects of the study design and made a major contribution to the results and discussion sections of the article

Vanessa Peutherer provided major contribution to the development, writing and piloting of scenarios, and contributed to the writing of the methods section of the article.

Michael Loughlin contributed to the literature review related to values and to the discussion section of the article.

Collectively all authors contributed to the analysis of the results from the Values Exchange and participated in the development and subsequent revisions of the completed article.

References

- Aguilar A, Stupans I, Scutter S and King S (2012) Exploring professionalism: the professional values of Australian occupational therapists. *Australian Occupational Therapy Journal* 59: 209–217. doi:10.1111/j.1440-1630.2012.00996.x
- Aguilar A, Stupans I, Scutter S and King S (2013) Towards a definition of professionalism in Australian occupational therapy: using the Delphi technique to obtain consensus on essential values and behaviours. *Australian Occupational Therapy Journal*, 60(3): 206-215.
- Allport GW (1961) *Patterns and Growth in Personality*. New York: Rinhart and Winston.
- AOTA (1993) Core values and attitudes of occupational therapy practice. *American Journal of Occupational Therapy* 47: 1085-1086. doi:10.5014/ajot.47.12.1085
- AOTA (2015) Occupational therapy code of ethics. *American Journal of Occupational Therapy* 69: 1-8. doi:10.5014/ajot.2015.696S03
- Ariely D (2009) *Predictably Irrational*. London: Harper Collins.
- Braun, V and Clarke, V (2006) Using thematic analysis in psychology. *Qualitative Research in Psychology*, 3 (2): 77-101.
- Brecher R (2014) Value-based practice: but which values, and whose? In: Loughlin M (ed). *Debates in Values-Based Practice: Arguments For and Against*. Cambridge: Cambridge University Press, pp. 62-68.
- Creek J, Ilott I, Cook S and Munday C (2005) Valuing Occupational Therapy as a Complex Intervention. *British Journal of Occupational Therapy* 68(6): 281-284.
- Damasio A (1994) *Descartes Error*. New York: Grosset/Putnam.
- Drolet M (2014) The axiological ontology of occupational therapy: a philosophical analysis. *Scandinavian Journal of Occupational Therapy* 21(1): 2-10.
- Drolet M and Désormeaux-Moreau M (2016) The values of occupational therapy: perceptions of occupational therapists in Quebec. *Scandinavian Journal of Occupational Therapy* 23(4): 272-285. DOI: 10.3109/11038128.2015.1082623
- Francis R (2013) Report of the Mid Staffordshire NHS Foundation Trust public inquiry. London: The Stationery Office.
- Fulford KWM (2008) Values-based practice: a new partner to evidence-based practice and a first for psychiatry? *Mens Sana Monographs* 6(1): 10–21. doi: 10.4103/0973-1229.40565. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3190543/> (accessed 10 November 2017).
- Fulford KWM (2011) The value of evidence and evidence of values: bringing together value-based and evidence-based practice and policy in service development in mental health. *Journal of Evaluation in Clinical Practice* 19(3): 537-546.
- Godbold R and Lees A (2013) Ethics education for health professionals: A values based approach. *Nurse Education in Practice* 13(6): 487-584.
- Godbold R and Lees A (2016) Facilitating values awareness through the education of health professionals: can web based decision making technology help? *Nurse Education in Practice* 17: 193-199.

- HEE (2014) Evaluation of values based recruitment (VBR) in the NHS: Literature review and evaluation criteria. Available at: <https://hee.nhs.uk/our-work/values-based-recruitment> (Accessed 10 August 2018).
- Hocking C, Whiteford G, and Henare D. (1995) What constitutes core values in occupational therapy practice? Letter to editor. *American Journal of Occupational Therapy* 49: 175.
- Kane N (2017) Ulysses in the United Kingdom: difficulties with a capacity based justification for self-binding in bipolar disorder. *Journal of Evaluation in Clinical Practice* 23(5): 1038–1044.
- Loughlin M (2002) *Ethics, Management and Mythology*. Abingdon, Oxon: Radcliffe Medical Press.
- Loughlin M (ed) (2014) *Debates in Values-based Practice: Arguments for and Against*. Cambridge: Cambridge University Press.
- Loughlin M and Miles A (2015) Psychiatry, objectivity and realism about value. In: Zachar P and Stoyanov D (eds) *Alternative Perspectives on Psychiatric Validation*. Oxford: Oxford University Press, pp. 146-163.
- Loughlin M, Mercuri M, Parvan A, Copeland S, Tonelli M and Buetow, S (2018) Treating real people: science and humanity. *Journal of Evaluation in Clinical Practice* 24(5): 919-929. DOI: 10.1111/jep.13024
- Mc Inerney J and Lees A (2018) Values exchange: using online technology to raise awareness of values and ethics in radiography education. *Journal of Medical Radiation Science* 65(1):13-21.
- NHS (2015) The NHS Constitution for England. The NHS Belongs to us all. Available at https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/480482/NHS_Constitution_WEB.pdf (accessed 10 August 2018).
- Peile E (2014) Values-based clinical reasoning. In: Loughlin M (ed) *Debates in Values-Based Practice: Arguments For and Against*. Cambridge: Cambridge University Press, pp. 20-26.
- Peile E and Fulford KWM (2015) Values-based practice: Translating values and evidence into good clinical care. *International Journal of Therapy and Rehabilitation* 22(7): 306-307.
- Peloquin SM (2007) A reconsideration of occupational therapy's core values. *American Journal of Occupational Therapy* 61: 474-478.
- Pentland D, Kantartzis S, Clausen M, and Witemyre K, (2018) *Occupational Therapy and Complexity: Defining and Describing Practice*. London: Royal College of Occupational Therapists.
- RCOT (2015) Code of ethics and professional conduct. London: College of Occupational Therapists. Available at: <https://www.rcot.co.uk/sites/default/files/Codeofethicsupdate2017.pdf> (accessed 10 August 2018).
- RCOT (2017) Professional standards for occupational therapy practice. London: College of Occupational Therapists. Available at: <https://www.rcot.co.uk/node/285> (accessed 10 August 2018).
- Rokeach M (1973) *The Nature of Human Values*. New York: Free Press.
- Seedhouse DF (2005) *Values-based Decision-making for the Caring Professions*. Chichester, UK: John Wiley & Sons.

Seedhouse DF (2009) *Ethics: Heart of Healthcare (3rd ed.)*. Chichester, UK: John Wiley & Sons.

Veatch R.M. A, (1995) Abandoning Informed Consent. *Hastings Centre Report* 25: 5-12.

Wright-St.Clair V and Newcombe D. (2014) Values and ethics in practice-based decision making
Canadian Journal of Occupational Therapy, 81(3): 154-162.